1. March	Su	ıtphen	Con	nponent Listing
	And	ly Herb	HS-5396 I Mic Work Phone Number: 574-8 Home Phone Number: Fax Number: Email:	Idlebury Township F.D. 325-5446 Order #: 5-1778 Customer #: IN46540 Station Phone:
		Bill To		Ship To
Contact: J			Customer: Middlebu Contact: Jeff Wog Chief Address: 117 N. M	
Ν	<i>l</i> iddlebu	ry, IN 46540	Middlebu	ıry, IN 46540
jı (a	Andy Dru 574) 238	man101@gmail.com Immond 3-2869 mfd@gmail.com)***		
Line Item #	Qty	Item Description/Comm	ents	
1 1001000	1 1	CHASSIS, MONARCH		
		<i>cl</i> Length as shown on drawing	mification —	
		Height as shown on the draw	20	

			Height as shown on the drawing
2	25010100	1	FRAME, DOUBLE RAILS, SINGLE AXLE
3	51028888	1	WHEELBASE: 212"
			Clarification
			PTA: 113"
			AFT: 54"
4	20030100	1	TREADPLATE COVER FOR BUMPER EXTENSION TROUGH
			Standard 2" raise treadplate lid
5	20088888	1	DEALER SUPPLIED: WINCH - PORTABLE
	20000000	'	
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 1



Line	Item #	Qty	Item Description/Comments
			*dealer supplied
6	20050310	1	WINCH RECEIVER, REAR
			Clarification
			REV-A
			Wiring provided to power the winch
7	20050300	1	WINCH RECEIVER, FRONT
			Clarification
			REV-A
			Wiring provided to power the winch
8	20050320	2	WINCH RECEIVER, SIDE
			Clarification
			REV-A
			Wiring provided to power the winch
			One (1) each side under the L3/R3 compartment
9	20012220	1	BUMPER, 24" FORMED STEEL CHANNEL, PAINTED
			Clarification Clarification
			Bumper to wrap around to cab edge (no treadplate, Columbus style)
			No lights will be recessed in bumper side skirt
			Delete perforations in front bumper skin for siren speaker. Siren speaker located behind main radiator grill
			Bumper painted BLACK to match primary body color
	20040215		STORAGE WELL, DEEP CENTER, FULL WIDTH FOR 24"
	14010527		- ,,
	41030100 41010217		SUSPENSION, ENHANCED SYSTEM SUSPENSION FRONT 23,000# 54" LEAF
	14510540		REAR AXLE, MERITOR RS-30-185 31,000 LB.
			Clarification
			Top speed: 60mph
	42010025	1	SUSPENSION REAR FIREMAAX 31,000# AIR RIDE
10	42910200 Order#: 5-1	1 778	TIRE PRESSURE MONITOR, REAL WHEELS, LED Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 2
	01001#.0-1	. •	

Line	Item #	Qty	Item Description/Comments
17	43010320	1	FRONT TIRES GOODYEAR 425/65R22.5 LRL G296 HGW 22.5 X 12.25 WHEELS
18	43030700	1	HUB COVERS, FRONT, POLISHED STS
	43030800		HUB COVERS, REAR, SINGLE AXLE, POLISHED STS
	44030100		MUD FLAPS FRONT AND REAR
	44010330		REAR TIRES GOODYEAR 315/80R22.5 LRJ RHD2 MUD
			& SNOW WITH 22.5 X 9 WHEELS
22	44288888	1	STEEL WHEELS
		-	
			Clarification
			Wheels painted BLACK
			Wheels painted DEAOR
23	40010250	1	STEERING - ROSS TAS-85
24	22010000	1	DRIVE LINE, SPICER, 1710 SERIES
25	18010041	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
26	18220500	1	DELETE ELEC STABILITY CONTROL SYSTEM
27	16010250	1	BRAKES MERITOR DISC PLUS EX225 FRONT ONLY
			S-CAM on the rear
28	18110000	- 1	WABCO 4 CHANNEL ANTI-LOCK BRAKES
	23030006		AIR INTAKE/EMBER SEPARATOR
	61510000		AUXILIARY COOLER (HEAT EXCHANGER)
	23013340		
	23110000		JACOBS ENGINE BRAKE
	13010205		ALTERNATOR, LEECE NEVILLE 320 AMP
	47030000		ALLISON TOUCH PAD SHIFTER
	47025000		TRANSMISSION FLUID, CASTROL TRANSYND
	47024050		TRANSMISSION COOLER
	47012420		TRANSMISSION ALLISON GEN IV EVS3000
	21021200		COOLING SYSTEM
	21030200		RADIATOR COOLANT RECOVERY, PRESSURIZED SYST
	26010010		FUEL TANK, STAINLESS STEEL, 65 GAL
	26030100	1	
	24040000	1	
	11031755	1	OVERHEAD STORAGE, FRONT OF 15" RR W/DOORS
		-	Clarification
			Compartment will have PLEXIGLASS doors in lieu of standard aluminum.
			Compartment winnave r EEXIGEASS doors inned of standard aldmindum.
			Compartment to have LED light strips to activate with PARKING BRAKE
44	11088888	2	SPECIAL ITEM: MEDICAL GLOVE BOX HOLDER, TOP OF
			CREW DOORS
	Order#: 5-1	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 3
		-	

Т

Line	ltem #	Qty	Item Description/Comments
			REV-B
			Springfield Division (chassis) to supply and install P-C-8768
			Glove box holder located in the top of the crew doors in 'HOLLOW' space
			Reference HS-5061-62 Kenosha, WI for photos
	11031100		MANUAL BACK-UP TILT SYSTEM
46	11031350	1	CAB DOORS, FULL LENGTH
			REV-B
			DO NOT install cover panel over space in top of crew doors. This area will be left open for installation of 'Glove Box' holder.
			Area sprayed gray zolatone to match interior ("old" style)
			Reference HS-5061-62 - Kenosha, WI for photos
47	11023270	1	CAB TSAL4G 73" 15" RR 1/2
			Clarification
			REV-A
			Delete fixed windows in the top of the crew doors
48	11031756	1	OVERHEAD STORAGE, REAR OF 15" RR W/DOORS
			Compartment will have PLEXIGLASS doors in lieu of standard aluminum.
			Compartment win have PLEXIGLASS doors in neu of standard aluminum.
			Compartment to have LED light strips to activate with PARKING BRAKE
49	11040000	1	CAB ACCESSORY FUSE PANEL
			Clarification
			Located under the rear facing seat behind officer.
			Six (6) - Battery Circuits
			Six (6) - Ignition Circuits
50	11088888	1	SPECIAL ITEM: SCBA STORAGE (4): CAB EXTENSION
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 4

Sutphen

Line	Item #	Qty	Item Description/Comments
			REV-A
			Two (2) SCBA Bottle Tube Compartments located each side of cab in cab extension.
			Similar to HS-4783 (this unit had 3 due to front suction)
			S:\HS DOCUMENTATION\Custom pumpers\HS-5396 Middlebury, IN\Photos\reference photos
51	11032929	1	DOOR PANEL, FULL INTERIOR, STS
	11032929		CENTER CONSOLE
			Clarification
			CHF: 4709 - sprayed black raptor to match engine enclosure
	11031512	1	COMPUTER TRAY IN LIEU OF GLOVE BOX
	11031421 11031465	1	CAB DOOR WINDOWS, POWER WINDOW TINTING
55	11031405	1	
			Clarification Clarification
			All windows tinted dark "limo" tint with exception to driver, officer and windshield
56	11088888	1	DELETE FIXED WINDOWS IN CREW DOORS
		-	Clarification
			REV-A
57	31010277	1	INTERIOR, GRAY ZOLATONE W/GRAY DURAWEAR
	38410000	1	SEAT BELT WARNING SYSTEM, AKRON / WELDON
59	38510105	1	DRIVER'S SEAT, BOSTROM SIERRA FX HIGH BACK
			AIR RIDE (DURAWEAR)
60	39010120	1	OFFICER'S SEAT, BOSTROM TANKER 450 ABTS SCBA
61	39510130	1	(DURAWEAR) CREW SEATING (6) FOR 73" TILT CAB (DURAWEAR)
	39610000	7	SCBA BRACKETS, BOSTROM, SECURE ALL - EACH
63	39710010	1	CREW SEAT COMPT, FRONT DOORS
			Clarification
			REV-A
			Crow cost comportment will have DLEVLOLACO decre in lieu of aluminum
			Crew seat compartment will have PLEXI-GLASS doors in lieu of aluminum
			LED Light strip to activate with parking brake
64	38320000	R	HELMETS STORED IN A COMPARTMENT - EACH
	20020000	0	
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 5

Line	Item #	Qty	Item Description/Comments	
			Install 'Helmet Storage' label on seat riser box	
65	22510009	1	ENGINE ENCLOSURE, BLACK RAPTOR SKIN	
	00040045			
66	38010015	1	MIRRORS LANG MEKRA 300 SERIES REMOTE	
			Clarification	
			REMOTE ONLY (no heat)	
67	27022000	1	HANDRAILS, CAB, KNURLED STAINLESS STEEL	
	28010720		DEFROSTER, HEATER & A/C	
	52010010		SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS	
70	45010001	1	FRONT TOW EYES	
71	12010015	1	DUAL AIR HORNS WIRED TO HORN BUTTON & PUSH	
			BUTTON ON OFFICER'S SIDE	
			Clarification	
			REV-A	
70	40040000			
	48010300		WHELEN 400 SERIES LED FRONT TURN SIGNALS	
	29910000 30110000		LOAD MANAGER, CLASS-1 VEHICLE DATA RECORDER, AKRON/WELDON	
	30010120		INSTRUMENTATION, BEEDE GAUGES W/ CENTER &	
/3	30010120	1	OVERHEAD CONSOLES	
			Clarification	
			Reference 'Command Console' layout on share drive	
76	30031775	2	POWER POINTS, (2) 12-VOLT SOCKET	
			Clarification	
			One (1) driver side and one (1) officer side	
77	30010700	1		
	30031100			
	15031700	1		
80	15010500	1	BATTERIES, TYPE 31 MHD (4)	
81	15031410	1		
	Order#: 5-1	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM	Printed: 10/24/13 @ 9:29 AM Page: 6
	0.001#1.071			



Line	Item #	Qty	Item Description/Comments
			Clarification
			REV-A
			Cover Color: RED
			Located driver side, standard location
			Status display located driver side, side of driver seat riser (due to tinted windows)
82	32510000	1	HEADLIGHTS, DUAL HALOGEN, STS HOUSINGS
83	32530500		ALTERNATING FLASHER FOR HEADLIGHT
84	33510030		INTERIOR CAB LIGHTS, (2) RED/CLEAR LED
	34010030		INTERIOR CREW LIGHTS (2) RED/CLEAR LED
	33010000		SPOTLIGHTS, HAND-HELD, OPTRONICS KB-4003
		-	MOUNTED ON BREAKER COVER
87	54010000	1	MISCELLANEOUS ITEMS ON CHASSIS
	84510100		ELECTRICAL DESCRIPTION
	84530910		COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT
	84588888		FIRECOM INTERCOM SYSTEM, 8 -PERSONS/9-POSITION
00	01000000	•	
			Clarification
			Firecom 5100D Base Intercom System
			(1) 5100D Base Intercom
			(2) UH-51 - Under Helmet Headset, Radio Transmit
			(6) UH-52 - Under Helmet Headset, Intercom Only
			(8) HM-10 Interior Headset Module
			(1) PP-20 Exterior Headset Module (on pump panel)
			(8) Headset Hanger Hooks
			?? Radio make/model
			See Overhead & Lower console layout sheet for Firecom Head location
01	84520000	4	BACKUP ALARM, ECCO SA917
	85010300		TAIL/TURN/WARNING, WHELEN 600, LED, QUAD
92	85010500	I	W/HALOGEN BACKUP LIGHTS
02	85110100	-	ICC LIGHTS, LED
			STEP LIGHTS, LED
	85510100		
	85710010		UNDERCARRIAGE GROUND LIGHTS, LED
	86510000		TWO UNITY AG WORK LIGHTS
97	86530001	1	GOLIGHT 2020, CAB ROOF, DASH CONTROL
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 7
	order#: 5-1	10	บารสเธน. บา/25/13 ๒ 10.05 AMI Lasi upuaisu. 10/24/13 ๒ 3:03 AMI Pililieu: 10/24/13 ๒ 3:23 AMI Page: /

Line	ltem #	Qty	Item Description/Comments
			REV-A
			One (1) Golight Model 2020 located on cab roof behind light bar, centered.
			GoLights will be BLACK to match cab roof
			Lights mounted on custom riser (Palm Beach style)
98	87010320	1	WARNING LIGHTS, UPPER, WHELEN, LED FREEDOM 8
			ClarificationWhelen Freedom 8 lightbar with six (6) red LED modules and two (2) white LED modules, all clear lens Rear Beacons:
			Whelen L31 red LED with red lens mounted direct to compartment top (no stanchion post or riser)
99	87040000	1	TRAFFIC ADVISOR, WHELEN LED TAL65 36"
			Located rear of body in full width step
			See Command Console Layout sheet for control head location
			Traffic advisor wired independent of emergency master
100	87030300	2	WARNING LIGHT, WHELEN 900 SUPER LED (PAIR)
			Clarification
			Whelen 900 red LED w/ red lens
			(1) pair located on body in front corners (above L1/R1)
			(1) pair located on body in rear corners (above L3.R3)
			see drawing
101	87537500	1	WARNING LIGHT, ROTO-RAY
			Standard halogen; two (2) red and one (1) white
102	87510371	1	WARNING LIGHTS, LOWER, WHELEN 600 SUPER LED
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 8

Line	ltem #	Qty	Item Description/Comments
			Whelen 600s red LED w/ red lens
			Front: Four (4) located two (2) each side of grill in warning light housing
			Driver Side: One (1) side of headlight housing, one (1) in rear fender forward of rear wheel
			Rear: One (1) each side in tail light cluster
			Officer Side: One (1) side of headlight housing, one (1) in rear fender forward of rear wheel
			Whelen 500 red LED w/ red lens
			One (1) located each side of body in rub rail under the L3/R3 compartment
103	88037200	1	L SIREN, Q2B, FLUSH GRILLE MOUNT, 2 FOOT SWTCHS
			Clarification
			REV-A
			Foot switch for officer located on officers LEFT foot, close to engine tunnel
104	88017330	1	SIREN, WHELEN 295HFS2, REMOTE FLUSH MOUNT
			See Command Console layout sheet for control head location
105	88088888	1	SPECIAL ITEM: HOWLER SIREN
			Clarification
			REV-A
			Mounted behind bumper, facing downward towards ground
			Amplifier located under officer seat
			Controlled by switch officer side
106	88110010	1	SIREN SPEAKER, CAST PROD SA4201-5-A (1)
			Clarification
			Located behind main radiator grill
107	88250200	2	SHORE POWER WITH TWO 110 V OUTLETS
	Order#: 5-1	778	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 9

Line	ltem #	Qty	Item Description/Comments
			Clarification Clarification
			One (1) located behind driver seat
			One (1) located in overhead cab compartment (above crew seats), centered on backwall
108	88250100	4	120 VOLT OUTLET W/WEATHERPROOF COVER - EACH
			Clarification
			REV-B
			Two (2) located rear of body, one (1) each side NEMA L5-15
			One (1) located in L-3; mounted on backwall, high in compartment (for dealer supplied power unit); 30-AMP Breaker NEMA L5-15
			One (1) located in R-3; mounted on backwall, high in compartment (for dealer supplied power unit); 30-AMP Breaker NEMA L5-15
109	88250425	1	CIRCUIT BREAKER PANEL WITH 16 SPACES FOR BREAKERS
			Clarification
			Located in L-1 compartment on forward wall of compartment
110	88230250	1	GENERATOR, SMART POWER, 25KW TM HYD
			Clarification
			Located driver side, dunnage area
111	88390362	4	LIGHT QTZ FR OPTIMUM RECESSED MNT 750W 240V
			Clarification
			REV-A
			Four (4) FRC Optimum scene lights, recessed two (2) each side of the body; one (1) in the forward corner and one (1) in the rear corner.
			Switching:
			One (1) switch for left side body scene lights One (1) switch for right side body scene lights
			Trim Bezel, lighthead and mounting brackets painted BLACK to match cab roof
112	88391060	1	LIGHTS, WHELEN PFP2, RECESSED 12V LED RR CAB
112	00091000	I	
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 10

Line	ltem #	Qtv	Item Description/Comments
		α.,	Clarification
			REV-A
			Two (2) Whelen PFP2 - 12V LED scene lights located one (1) each side of cab.
			Switching:
			One (1) switch labeled LEFT CAB
			One (1) switch labeled RIGHT CAB
			Trim Bezel, lighthead and mounting brackets painted BLACK to match cab roof
113	88380990	1	DEFLECTOR, FORWARD OF LIGHT TOWER
			Clarification
			Treadplate deflector located on cab roof
114	88381506	1	LIGHT TOWER, COMMAND LIGHT, 9000W, CAB ROOF
			Clarification
			Strobe color: GREEN
			Controls located in L-1 compartment on forward wall (beside breaker box)
115	88388888	1	DEALER SUPPLIED INSTALLATION OF 7 REELS AND 2 POWER UNIT MOUNTING
			Clarification
			REV-A
			*dealer supply & install
			Four (4) Hydraulic Reels: two (2) mounted in R-3 and two (2) mounted in L-3
			One (1) Air Reel: Ceiling mounted in the A-1 compartment
			Two (2) Electric Cord reels, one (1) mounted in coffin above L-1 and one (1) mouted in coffin above R-1.
116	88433000	2	MOUNTING OF ELEC CORD REEL IN UPPER HATCH
110	00433000	2	COMPARTMENTS
			Clarification
			REV-B
			*dealer supplied installation of cord reels, including shroud to protect cord reels from misc items in coffin
			compartment
117	61010405	1	ENGINE PRESSURE GOVERNOR, CLASS1 TPGJ1939
	60013150	1	QFLO-125 1250 GPM W/6" SUCTIONS SINGLE STAGE
	60028050	1	
	60035120 60035999	1	NATIONAL PUMP TEST THREADS, NST
121	OU035999 Order#: 5-17		
	Uruer#: 5-17	0	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 11

Line	ltem #	Qty	Item Description/Comments
122	61210050	1	INTAKE PRESSURE CONTROL, HALE, STS
			Clarification
			Set @ 125psi
	62010002		STAINLESS STEEL PIPING FOR PUMPERS
	63010000	1	6" INLETS
125	61710305	1	AKRON HEAVY DUTY VALVES
126	65030000		2.5" LEFT SIDE INLET
	64030000	1	2.5" RIGHT SIDE INLET
128	83510105	1	750 GALLON POLY-TANK
129	66010010	1	3" TANK TO PUMP WITH CHECK VALVE
130	73010201	1	TANK FILL 2" - AKRON VALVE
131	70010000	1	OUTLETS
132	70530000	2	2.5" LEFT SIDE DISCHARGES
	71030000	1	2.5" RIGHT SIDE DISCHARGES
134	71030300	1	3" DISCHARGE RIGHT SIDE
135	71530100	1	DISCHARGE 2.5" VALVE 2.5" PIPE TO LEFT REAR
136	72530100	1	DISCHARGE DELUGE RISER 3"
137	72810100	1	DELETE STD CROSSLAYS
138	72230200	1	DISCHARGE 2.5" TO FRONT BUMPER
			Discharge terminate officer side, on top of bumper
139	75011300	1	PMP PANEL, SM 47" BRUSHED STS 10 DSCH HANDLES PANEL BOTH SIDES
140	75031100	1	PUMP & FRAMEWORK, PAINTED
141	75088888	1	ROLL-UP DOORS OVER PUMP PANEL
142	75040200	2	TROUGH LEFT SIDE RUNNING BOARD FOR 5" HOSE
			Clarification
			REV-A
			One (1) located each side, same size.
			Hose secured by enclosed pump panel
143	75510200	1	PUMP PANEL LIGHTS, LED
	76010105	1	PUMP PANEL GAUGES & CONTROLS
			Clarification
			(4) swing handles (No1, No2, No3, No4 discharges)
			(2) push pull handles (tank fill, tank to pump)
			(3) oush pull handles w/ integrated gauges (front bumper, rear discharge, deck gun)
			Color and labeling to follow NFPA recommendations
145	77510050	1	GAUGE, WATER LEVEL, INNOVATIVE CONTROLS
	76510050	2	GAUGES, MASTER, NOSHOK, 4" LIQUID FILLED
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 12

Line	Item #	Qty	Item Description/Comments	
			Standard (1) discharge and (1) intake pressure gauges	
147	77021000	1	GAUGES, DISCH, NOSHOK 2.5"	
			Clarification	
			Standard discharge pressure gauge for each discharge	
148	80029900	1	BODY SUBFRAME, ALUM PUMPER	
	83010050		ALUMINUM TREADPLATE ON ALUM PUMPER	
150	80128888	1	SPECIAL ITEM: BODY PA-16 RES 56/53 DOUBLE HATCH	
			Clarification	
			REV-A	
			Delete standard ladder storage under hosebed	
151	80231200	1	SCBA CYLINDERS 4	
			Clarification	
			standard two (2) right and two (2) left	
152	80250100	15	TURTLE TILE ON COMPARTMENT FLOOR, SHELF, TRAY OR DRAWER (EACH)	
			REV-B	
			*dealer supplied and installed	
153	80220110	1	ROM ROLL-UP DOORS, PAINTED	
154	80245125	1	OIL DRY HOPPER (IN UPPER HATCH COMPARTMENT)	
			Clarification	
			REV-A	
			Terminate in R-1, forward in compartment w/ flex hose.	
155	81165705	1	UNISTRUT TRACK IN COMPTS	
156	81150200	1	250# SLIDE-MASTER SLIDE OUT/TILT DOWN DRAWER	
			Clarification	
			REV-C	
			Location:	
			(1) in L-2	
157	81150300	3	600# SLIDE-MASTER TRAY	
	Order#: 5-17			Printed: 10/24/13 @ 9:29 AM Page: 13

S S

Sutphen

d for air-bag storage)
Page: 14
d fc

Line	Item #	Qty	Item Description/Comments
			Stainless steel ladder mounted rear of body
	82510000 81310000		RUB RAILS HOSEBED W/REMOVABLE ALUMINUM FLOORING
			Clarification
			non-standard hose-bed configuration. See OPT#81388888 for additional details
167	81428888	1	DELETE MAIN HOSEBED COVER Clarification
168	81330310	1	HOSE BED DIVIDER, ADJUSTABLE - EACH Clarification ***REV-A***
169	81388888	1	SPECIAL ITEM: VINYL COVER
			Clarification
			Cover Color: Black
			Fastenen with shock cord Small vinyl flap over rear of "hose bed"
170	81388888	1	HOSEBED STOBAGE
			Clarification Clarification
			250' of 2.5" (single stacked) 250' of 1.75" hose (single stacked)
			Compartment will have an aluminum treadplate lid, hinged on the left side.
171 172	46010000 90010020	1	REAR TOW EYES STANDARD (PAIR) PAINT SCHEME
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 15



Line	Item #	Qty	Item Description/Comments	
			Clarification ***REV-B*** BLACK over	
			RED See Paint Letter on S://	
173	90030015	1	A/C CONDENSER PAINTED ROOF COLOR	
			<i>Clarification</i> ***REV-A***Painted BLACK to match cab roof	
			Fainled BLACK to match cab root	
174	90030010	1	TWO TONE ENTIRE TRUCK	
			Clarification	
			REV-A	
			Paint Break to match HS-5246 (Estero).	
	90030154		PAINT FRAME RAILS & BODY SUBFRAME -BLACK	
176	90510000	1	3" LETTERING	
			*dealer supplied	
177	90530240	50	ADDITIONAL 10" SCOTCHLITE LETTERS (EACH)	
			Clarification	
			*dealer supplied	
178	90530210	50	ADDITIONAL 4" SCOTCHLITE LETTERS (EACH)	
			Clarification	
			*dealer supplied	
179	90630100	2	1" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH	
			Clarification	
			*dealer supplied	
180	90660020	1	CHEVRON, DIAMONDGRADE, REAR, OUTBOARD ONLY	
			Clarification	
			*dealer supplied	
181	90610200	1	6" SCOTCHLITE STRIPE AROUND TRUCK	
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM	Printed: 10/24/13 @ 9:29 AM Page: 16

Line	ltem #	Qty	Item Description/Comments
		-	*dealer supplied
182	90630405	1	MITER EDGED "Z" STRIPE
			Clarification
			*dealer supplied
183	89088888	1	SPECIAL ITEM: PIKE POLE STORAGE
			Clarification
			One (1) Pike Pole tube located in 'Ladder Storage' above folding ladder
			One (1) Tike Tole lube localed in Ladder Slorage above loiding ladder
184	89028888	1	SPECIAL ITEM: ALCO-LIGHT PRL-14 14' ROOF FL-10 10' FOLDING LADDER
			Clarification
			Ladders located in compartment in hose bed. Compartment will have treadplate door.
			see drawing
			**delete standard 24' 2-section ladder
	88519300 90888888		DELETE 6" SUCTION HOSE BRACKETS AND STRAINER MOUNTING OF COMBI AND COUPLERS - BUMPER
			Clarification
			*dealer supplied and installed
187	90841000	1	HYDRAULIC LEAD-IN LINES, TWIN 35' (PAIR)
			Clarification
			REV-B
			*dealer supplied and installed
188	90888888	1	DEALER SUPPLIED: LUKAS AUTO VALVE
			Clarification
			REV-B
			*dealer supplied and installed
189	90888888	1	LONGER THEN 35' HOSE MAY BE NEEDED
		-	
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 17

Line	Item #	Qty	Item Description/Comments
			Clarification Clarification
			*dealer supplied and installed
190	91030700	1	ZIAMATIC SAC-44 FOLDING WHEEL CHOCK MOUNTED
			W/ SQCH-44H HOLDERS, PER PAIR.
			Located driver side under the L-1 compartment
191	91010000	1	MISCELLANEOUS EQUIPMENT - (1) PINT TOUCH-UP
			PAINT, STAINLESS STEEL NUTS & BOLTS
	99010000 99510000	1	MANUALS (1-PRINTED & 1-CD) WITH DVD ONE YEAR WARRANTY
	999999999	-	NOTATIONS
	Order#: 5-17	78	Created: 01/25/13 @ 10:05 AM Last updated: 10/24/13 @ 9:09 AM Printed: 10/24/13 @ 9:29 AM Page: 18