

Contact:

Address:

Sutphen Andy Herb

Component Listing

Ft. Wayne Fire Dept HS-5066 & HS-5067

Work Phone Number: 260-427-1170 Order #: 5-1502 Home Phone Number: Customer #: IN46803 Station Phone: 260-494-2491 Fax Number:

Email: Eric.Lahey@ci.ft-wayne.in.us

Bill To Ship To

Customer: Ft. Wayne Fire Dept HS-5066 & HS-50 Customer: Ft. Wayne Fire Dept

> Eric Lahey Contact: Eric Lahey **Deputy Chief**

Deputy Chief

307 Murray St 307 Murray St Address: Ft Wayne, IN 46803

Ft Wayne, IN 46803

Comments: REVISION: D

Item #	Qty	Item Description/Comments	
10010005	1		
25090001	1		
		REV B	
25088888			
51028888	1	·	
		REV A	
		PTA: 100" AFT: 54"	
20028888	1	BUMPER, 18" EXTENSION	
		Clarification	
		REV A	
		There will be no center perforations.	
20093052	1	TREADPLATE COVER FOR BUMPER EXTENSION TROUGH	
		Clarification ————————————————————————————————————	
		2" raised lid	
20088888	1	STORAGE WELL, DEEP CENTER, FULL WIDTH FOR 18"	
		Clarification	
		REV A	
		Center portion between frame rails to be deep.	
14028888	1	FRONT AXLE, MERITOR MFS-20-133A 20,000 LB.	
Ord	er#: 5-15	1502 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @	7:59 AM Page: 1

Item #	Qtv	Item Description/Comments
41090050		SUSPENSION, ENHANCED SYSTEM
41028888	1	SUSPENSION, FRONT, 20,000# 54" LEAF
14590001	1	REAR AXLE, MERITOR RS-26-185 27,000 LB.
		Clarification
		Top speed: 68mph
40000004	4	OLIOPENICIONI DE AD 07 000# LEAE
42090001	1	SUSPENSION REAR 27,000# LEAF
42990005 43090002	1	TIRE PRESSURE MONITOR, REAL WHEELS, LED CHROME LUG NUT CAPS, FRONT & REAR
43090002	1	FRONT TIRES, GOODYEAR 385/65R22.5 G296MSA
43020005	1	FRONT MUD FLAPS (PAIR)
43090005		FRONT MOD FLAPS (FAIR)
		Clarification
		REV A
14000011	4	DEAD TIDES COODVEAD 10D00 5 LDU C600 MUD/SNOW
44090011 44090004	1	REAR TIRES GOODYEAR 12R22.5 LRH G622 MUD/SNOW
44090004	1	REAR MUD FLAPS (PAIR) WHEELS, ALUMINUM
44090007	1	HUB COVERS, FRONT & REAR, POLISHED STS
40090000	1	STEERING, ROSS TAS-85
22090000	1	DRIVE LINE, SPICER, 1710 SERIES
18190000	1	WABCO 4 CHANNEL ANTI-LOCK BRAKES
18290001	1	ELECT STABILITY CTRL SYST (NOT PROVIDED)
16090002	1	BRAKES MERITOR DISC PLUS EX225 FRONT ONLY
18090002	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
23190000	1	JACOBS ENGINE BRAKE
23090032	1	ENGINE CUMMINS ISL 9 400HP DOC-DPF-DEF-SCR
		Clarification
		REV A
		TIEV A
23090008	1	AIR INTAKE/EMBER SEPARATOR
61510000	1	AUXILIARY COOLER (HEAT EXCHANGER)
13090003	1	ALTERNATOR, LEECE NEVILLE 320 AMP, 4962PA
47090005	1	ALLISON TOUCH PAD SHIFTER
47090004	1	TRANSMISSION FLUID, CASTROL TRANSYND
47090000	1	TRANSMISSION ALLISON GEN IV EVS3000 W/COOLER
21090011	1	RADIATOR COOLANT RECOVERY
21090003	1	COOLING SYSTEM
21090009	1	FAN CLUTCH
26090100	1	FUEL COOLER
24090100	1	DIESEL EXHAUST FLUID TANK
11089960	1	CAB DOORS, FULL LENGTH
11090006	1	MANUAL BACK-UP TILT SYSTEM
11090021	1	ALUM TOOL MOUNTING PLATES, TOP & REAR OF A/C
11028888	1	CAB, SLDTSAL4E 73" W/10"RR
	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 2
Orq	CI#. 3-13	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 2

Item #	Qty	Item Description/Comments Clarification
		REV A
		TIEV A
		No fixed windows in back wall.
11000070	4	INTERIOR DOOR DANIELS ZOLATONE REFLICTRIRE
11089970 11088888	1	INTERIOR DOOR PANELS, ZOLATONE, REFL STRIPE OVERHEAD STORAGE, FRONT OF 10" RR W/DOORS
11000000	'	
		Clarification Comparts and to be use (0) flin time all projections
		Compartment to have (2) flip-up aluminum doors.
11090026		CAB WINDOWS, POWER
11090012	1	EMS CABINET 18"D FULL BACK WALL, RAISED ROOF
		FORWARD FACING
		Clarification ————————————————————————————————————
		REV A
		Door must be Amdor brand to match body doors.
11090016	1	FLAT WORK SURFACE IN LIEU OF GLOVE BOX
		Clarification ————————————————————————————————————
		REV A
31090001	1	INTERIOR, GRAY, DURAWEAR
38490000		SEAT BELT WARNING SYSTEM, AKRON / WELDON
38590001		DRIVER'S SEAT, BOSTROM FX HIGH BACK AIR RIDE
		(DURAWEAR)
39028888	1	OFFICER'S SEAT, BOSTROM TANKER 350 SCBA AIR RIDE
		Clarification ————————————————————————————————————
		REV A
		Leave louvered cover off the front of the compartment under the seat.
39590000	1	CREW CAB SEATING 2 BOSTROM TANKER 350 SCBA
		& 2 300 SCBA FLIPUP
		Clarification ————————————————————————————————————
		(2) forward-facing seats on back wall will be outboard of EMS cabinet
39690001	5	SCBA BRACKETS, BOSTROM, SECURE ALL - EACH
39728888	1	CREW SEAT COMPARTMENT, FRONT DOORS
38390020	6	HELMETS STORED IN A COMPARTMENT - EACH
22590005	1	ENGINE HOOD, ZOLATONE
38090001	1	MIRRORS LANG MEKRA 300 SERIES HEATED & REMOTE
27090000	1	HANDRAILS
28090015		FAN MOUNTED IN CAR 12 VOLT, DRIVER'S SIDE
28090016 28090009	1	FAN MOUNTED IN CAB 12 VOLT, OFFICER'S SIDE DEFROSTER, HEATER & A/C
20090009		
Ord	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 3

Itom #	Otv	Itam Description/Comments
Item #	Qly	Item Description/Comments Clarification
		with TM-21 compressor
		NOTE: does not include heat to feet
52090000	1	SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS
45090001	1	FRONT TOW EYES
12028888	1	DUAL AIR HORNS, GROVER #1510 (ROUND), LANYARD
		Clarification
		REV A
12088888	1	AIR HORNS THROUGH FRONT BUMPER
		Clarification
		REV A
		Round air horns to have bells protruding through front face of bumper.
48090001	- 1	LED TURN SIGNALS, WHELEN 400 SERIES
29990000		
30090007		INSTRUMENTATION, BEEDE GAUGES
30090002	1	CAB PUMP SHIFT
30088888	1	DELETE MAP POCKET FROM BREAKER PANEL COVER
		Clarification ————————————————————————————————————
		REV A
		There will be no metal map pocket on the breaker panel cover in front of the officer (reference Columbus).
30090010	1	HIGH IDLE SWITCH
30190000	1	, , , , , , , , , , , , , , , , , , , ,
15031700	1	BATTERY JUMPER TERMINALS
15090000 15090007	1	BATTERIES (4) 950 CCA INTERSTATE KUSSMAUL 1200 W/ AUTO EJECT
13030007		
		DEV A
		REV A
		Inlet to be mounted in standard location on driver's side of cab.
		Cover color: red
32590001	1	HI-LOW HALOGEN HEADLIGHTS, DUAL STS HOUSING
		Clarification
		REV A
0050000		ALTERNATING ELAGUED EOD LIEADLICUT
32590003		ALTERNATING FLASHER FOR HEADLIGHT
33590005 34090005		INTERIOR CAB LIGHTS, (2) RED/CLEAR LED INTERIOR CREW LIGHTS (2) RED/CLEAR LED
33090005	1	SPOTLIGHT (NOT PROVIDED)
	er#: 5-15	· · · · · · · · · · · · · · · · · · ·
		<u> </u>



Item #	Qtv	Item Description/Comments
84588888	1	DAVID CLARK 6-POSITION INTERCOM SYSTEM
		Clarification
		REV B
		Positions to include driver, officer, and (4) crew seats. Driver and officer to be interfaced with Motorola APEX 6500.
		(1) H3441 headset for driver (5) H3442 headsets for officer and crew
84541700	2	INSTALLATION OF CUSTOMERS 2-WAY RADIO ANTENNA
		Clarification
		*REV A8
		Must be thick-mount base antennas.
		Terminate ends of cables at center dash switch pod. One will be for radio, one will be for laptop.
84550100	1	LICENSE PLATE BRACKET AND MOUNTING
		Clarification
		REV A
		Cast Products #LP0013-1 license plate bracket w/LED light.
84588888	1	RADIO POWER AT DASH
		Clarification
		REV A
		Provide radio power at the center dash switch pod for future radio installation.
		Radio requires (1) ignition switch power fused at 5 amps and (1) battery power fused at 20amps, plus ground.
		Run wires to center switch pod and terminate with butt connectors. Label all wires with function and amperage!
84530910	1	COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT
84520000	1	BACK UP ALARM, ECCO SA917
85010020	1	TAIL/TURN/BACKUP, WELDON 3884, LED
85110100 85510100	1	ICC LIGHTS, LED STEP LIGHTS, LED - WHELEN 2G AT PUMP PANEL
05510100		& WELDON 2631 AT REAR
85710010	1	UNDERCARRIAGE GROUND LIGHTS, LED
86510000	1	TWO UNITY AG WORK LIGHTS
87010325	1	WARNING LIGHTS, UPPER, WHELEN, LED FREEDOM 12
Ord	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 5

Item #	Qty	Item Description/Comments
		REV A
		Freedom12 72" NFPA lightbar with (10) red and (2) clear modules. Lightbar to have red lense over red modules.
		(2) L31HRFN red LED beacons. Beacons to be mounted directly to the compartment tops above L3/R3.
87537731	2	WARNING LIGHT, WHELEN 600, SUPER LED
		Clarification
		REV A
		Color: red
		(1) each side of cab behind rear crew doors. Install in line with rear fender warning lights.
87510371	10	WARNING LIGHTS, LOWER, WHELEN 600 SUPER LED
		Clarification
		REV A
		(10) red 600 LEDs:
		(4) in front warning light housings
		(1) each side of headlight housings (1) each side in front portion of rear fenders
		(1) each side on rear of body below taillights
		(2) red 500 LEDs:
		(1) each side under L3/R3 in rubrails
87588888	2	WARNING LIGHT, WHELEN 600, SUPER LED
		Clarification ————————————————————————————————————
		*** REV D ***
		Color - Amber.
		Landa (4) and although a second that had only the land and the land to the land the land to the land t
		Locate (1) each side on the rear of the body mid height above the tail lights. These lights will alternate flash patterns with the warning light in the tail light housings.
88037200	1	SIREN, Q2B, FLUSH GRILLE MOUNT, 2 FOOT SWTCHS
		Clarification
		REV A
		Officer's foot switch to be installed on the vertical face of the breaker panel cover (NOT on the floor). See
		customer-provided photo.
88028888	1	SIREN, WHELEN 295HFS2
30020000		Chilery, While Left 2001 if OL
Urq	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 6

Item #	Otv	Item Description/Comments
Item #	Qty	Clarification
		REV A
		Siren head to be recessed in sun visor panel above officer (left side near warning light bar panel).
		Siren will be controlled at head and through the steering wheel horn button.
88110010	1	SIREN SPEAKER, CAST PROD SA4201-5-A (1)
		Clarification
		REV A
		Install behind main cab grille.
88391080	2	LIGHT, WHELEN, PFP2, TELESCOPIC, 12V LED
		Clarification
		REV C
		Install the lights (1) each side in the dunnage area of the pump module. The lights will be mounted so the light heads are slightly above the sides of the dunnage area in the stored position. The lights will have special length
		telepoles with a 6"-8" tele extension. The lights will face outboard each side in the stored position.
		The light part numbers will be ROM - KR-SB-2PFP2-2-W4. Note on the po that the OAL of the collapsed
		telepole will be 35".
		Lights will not have switches at heads. Lights will have left & right switches on the cab dash and at the pump
		panel.
88391050	4	LIGHT, WHELEN PFP2, BROW 12 V LED
00391030		Clarification
		Light to have switch on cab dash.
60013150	1	QFLO-125 1250 GPM W/6" SUCTIONS SINGLE STAGE
00010100		Clarification ————————————————————————————————————
		REV A
		6" suction tubes to be short enough to keep TFT AB1STNX-PS ball intake valves inside the body width once
		installed.
00000050		DUMP PRIMED TRIDENT AIR
60028050 60035120	1	PUMP PRIMER, TRIDENT, AIR NATIONAL PUMP TEST
60035999	-	THREADS, NST
61020005	1	PRESSURE GOVERNOR, FIRE RESEARCH, PUMP BOSS
60031005 61210000		ALLOY ANODES, HALE INTAKE PRESSURE CONTROL, ELKHART 40-20
62010002		STAINLESS STEEL PIPING FOR PUMPERS
63010000		6" INLETS
61710305	1	AKRON HEAVY DUTY VALVES
Ord	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 7

. ,	<u> </u>	
Item #	Qty	Item Description/Comments
65030000	1	2.5" LEFT SIDE INLET
83510105	1	750 GALLON POLY-TANK
		Clarification
		REV B
66010010	1	3" TANK TO PUMP WITH CHECK VALVE
73088888	1	WATER TANK DRAIN VALVE
		Clarification
		Install a 1.5" drain valve in the bottom of the water tank sump. Valve to have locking handle. Reference Pocono HS-4927.
73010201	1	TANK FILL 2" - AKRON VALVE
73588888	1	ELKHART 240-95P IN-LINE FOAM EDUCTOR W/FLUSH
		Clarification
		REV A
		Plumb to front bumper discharge.
		Tiumb to front bumper discharge.
73531425	1	FOAM TANK 30 GALLON BUILT INTO BOOSTER TANK
70530000		2.5" LEFT SIDE DISCHARGES
71030300	1	3" DISCHARGE RIGHT SIDE
		Clarification
		REV A
71030101	1	3" NST FE X 5" STORZ CAP & CHAIN SNAPTITE AS50T30NR W/BS50
		REV A
		TIEV A
71030000	1	2.5" RIGHT SIDE DISCHARGES
71530100	1	DISCHARGE 2.5" VALVE 2.5" PIPE TO LEFT REAR
72555810	1	TASK FORCE TIPS EXTEND-A-GUN
		Clarification
		REV A
		Lieu and from stock and arder (1) VCD 00 breakst
		Use one from stock and order (1) XGB-23 bracket.
		Order (1) complete package w/bracket.
72588888	1	DEALER SUPPLIED/INSTALLED TFT CROSSFIRE MONITOR
Ord	er#: 5-15	02 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 8

Item #	Qty	Item Description/Comments Clarification
		REV A
		TFT XFC-42 - includes portable base with (1) 5" storz inlet, storage bracket, quad stacked tips, and streamer shaper.
72530100	1	DISCHARGE DELUGE RISER 3"
		Plumbing to terminate so bottom of deckgun flange is flush with top of pump module (extend 18" up from this point).
72888888	1	2.5" CROSSLAY
	-	Clarification
		REV A
		Rear-most bed - to hold 200' of 2.5" hose (double stacked).
72928888	1	COVER, ALUMINUM, THREE CROSSLAYS
		Clarification
		REV A
		Sides to be black vinyl with RV rail at top and shock cords at bottom.
72828888	1	TWO 1.5" CROSSLAYS, 2" VALVE & PLUMBING
		Clarification
		REV A
		Each bed to hold 200' of 1.75" hose (double stacked).
72230000	1	DISCHARGE 1.5" FRONT BUMPER, 2" PLUMBING
		Clarification
		Swivel to be located inside the storage well on the officer's side.
75088888	2	PUMP PANEL STEP/LIGHT HOOD
		Clarification
		REV B
		Install an 8"D embossed treadplate step above the pump panel/below the crosslays on each side of the pump module. Steps to be as wide as possible without interferring with telelights.
75028888	1	PUMP PANEL, SIDE MOUNT, BLACK VINYL
		Clarification
		REV A
75510200	1	PUMP PANEL LIGHTS, LED
	er#: 5-15	

14 a a - //	04-	Harry December 10 and the second seco
Item #	Qty	Item Description/Comments Clarification
		REV B
		Each pump panel to be illuminated with LEDs under the step/light hoods.
77510050 76010105	1	GAUGE, WATER LEVEL, INNOVATIVE CONTROLS PUMP PANEL GAUGES & CONTROLS
70010103	'	
		REV A
		NEV A
		Standard NFPA colors.
77540100	1	GAUGE, FOAM LEVEL, INNOVATIVE CONTROLS
		Clarification
		REV A
		Class A foam
76031900	1	AIR HORN PUSH BUTTON SWITCH ON PUMP PANEL
76510050		GAUGES, MASTER, NOSHOK, 4" LIQUID FILLED
77021000		GAUGES, DISCH, NOSHOK 2.5"
80029900	1	BODY SUBFRAME, ALUM PUMPER
83030710 83010050	1	SMOOTH PAINTED REAR FENDERS ON CORP PUMPERS ALUMINUM TREADPLATE ON ALUM PUMPER
80110423	1	BODY PA-13 RES 43/53, HYD LAD RACK
80331000	1	RECEIVER HITCH WITH WIRING FOR TRAILER TAIL LIGHTS
		Clarification
		REV A
		5-round style plug
80230000	7	ROLL-UP DOOR DRIP PAN/SPLASH GUARD - EACH
0020000	•	Clarification ————
		w/drains
		W/drains
		NOTE: these will need to be formed units due to Amdor brand doors.
80231200	1	SCBA CYLINDERS 4
		Clarification
		(2) in each rear body fender
80228888	1	DOORS, ROLL-UP, AMDOR, PAINTED
Ord	er#: 5-15	D2 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 10
<u></u>		

Item #	Otv	Item Description/Comments		
Item #	Gty	Clarification		
		REV A		
		All roll-up doors to be Amdor brand.		
		(6) side doors to be painted		
		A1 to be non painted		
		NOTE: door trim will NOT be painted		
81150200	6	250# SLIDE-MASTER SLIDE OUT/TILT DOWN DRAWER		
		Clarification		
		REV B		
		(1) in L1 (1) in L2 (mid-height)		
		(1) in L3 (to left of fixed divider)		
		(1) in R1 (1) in R2 (mid-height)		
		(1) in R3 (to right of fixed divider)		
81150000	1	250# ADJUSTABLE VERTICAL SLIDE-OUT PANEL-EACH Clarification		
		REV B		
		(1) in R3 (to left of fixed divider)		
81165705 81140100	1	UNISTRUT TRACK IN COMPTS FIXED VERTICAL DIVIDER		
01140100		Clarification ————————————————————————————————————		
		REV B		
		(1) in L3 (10" from right side door opening)		
		(1) in R3 (36" from right side door opening)		
81150300	2	600# SLIDE-MASTER TRAY		
		DEV D		
		REV D		
		(1) L3 (1) R1		
		Each corner of the drawers will have 1/4" drain holes in them.		
81130300	6	ADJUSTABLE SHELF IN COMPT - EACH		
Ord	er#: 5-15	D2 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 11		

Item #	Qty	Item Description/Comments Clarification
82010100	1	*REV B* (1) L1 (under slide/tilt) (1) L3 (under slide/tilt to left of fixed divider) (1) R1 (1) R3 (under slide/tile to right of fixed divider) (2) A1 HANDRAILS AND STEPS, ALUM PUMPER
		Clarification
		REV A (3) folding steps each side on front of body (6) folding steps on rear of body Tailboard to be 18" with angled corners.
82510000	1	RUB RAILS
81310000	1	HOSEBED W/REMOVABLE ALUMINUM FLOORING
		REV B Required capacity (left to right): 200' of 2.5" (single stacked) 1000' of 5" 250' of 2.5" (double stacked)
81410000	1	COVER, VINYL, MAIN HOSE BED
		Clarification
		REV A Color: black Cover to be secured at front with RV rail and shock cords on sides/rear.
81388888	7	LETTERING ON HOSE BED COVER FLAP
		REV A ENGINE # in 8" white non-reflective letters First truck to be ENGINE 1 Second truck to be ENGINE 12
81330310	2	HOSE BED DIVIDER, ADJUSTABLE - EACH
1	- er#: 5-15	
		·



Item #	Qty	Item Description/Comments
		REV A
		Dividers to be installed in exact locations for hose loads (left divider to be 5" from left hose bed wall / right divider to be 5" from right hose bed wall).
46090000	1	REAR TOW EYES
90010020	1	PAINT SCHEME
		Clarification
		Body and pump module to be painted Candy Apple Red #97902X Alt1.
90030154	1	PAINT FRAME RAILS & BODY SUBFRAME -BLACK
90030005	1	TWO TONE CAB TO BOTTOM OF WINDSHIELD
		Clarification
		White #H9113X
		over Candy Apple Red #97902X Alt1
90088888	1	DELETE UNDERCOATING
90528888	1	DEALER PROVIDED LETTERING AND STRIPING
		Clarification
		Dealer to supply/install all lettering and striping.
		Includes diamond grade rear chevron striping and white scotchlite in rub rails.
89010000	1	DUO-SAFETY 900A 24'2-SEC & 775A 14' ROOF
		Clarification
		REV A
		Includes 585A 10' folding ladder.
		includes 303A 10 folding ladder.
89088888	1	PIKE POLE/FOLDING LADDER COMPARTMENT
		Clarification
		REV B
		Storage compartment to be located in officer's side of the hose bed. Compartment to store (2) FHU multipurpose hooks and the 10' folding ladder and will be accessible from rear with hinged treadplate door and t-handle latch. Compartment to be configured vertically with folding ladder on the bottom and the (2) pike poles above.
89510300	1	ZIAMATIC HYDRAULIC LADDER RACK
Ord	er#: 5-15	D2 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 13



Item #	Qtv	Item Description/Comments
		Clarification
		REV B
		Rack to hold 24' 2-sec and 14' roof (no pike pole or folding ladder mounts).
		Plate that covers ladder rack arm to be painted smooth aluminum to match body (NOT treadplate).
88519300	1	
91010000	1	
		PAINT, STAINLESS STEEL NUTS & BOLTS
99010000	1	
99088888	1	DEALER PROVIDED DELIVERY
99510000		ONE YEAR WARRANTY
99999999	1	NOTATIONS
Ord	er#: 5-15	D2 Created: 08/04/11 @ 12:06 PM Last updated: 04/25/12 @ 6:27 AM Printed: 04/25/12 @ 7:59 AM Page: 14