

	Sutphen Component Report Herb Fire	HS-5927 Ashland, OH	
		Phone Number: (419) 289-6511 Mobile Number: (419) 651-7084 Email: campbell.gabe@ashland-ohio.com	Order#: SOB001107

Bill To
Customer: Ashland Fire Department Contact: Gabe Campbell, Assistant Chief Address: 274 Cleveland Ave Ashland, OH 44805

Ship To
Customer: Same as Bill-to Contact: Gabe Campbell, Assistant Chief Address: 274 Cleveland Ave Ashland OH 44805

Comments
Project Coordinator: Richie Miller Salesperson: Andy Herb Revision: **REV-B**

Line	Item #	Qty	Item Description/Comments
1		1	**ENG Facility = Dublin.
2		1	**ENG Truck Series = CTZ.
3	10000215	1	STD WIRING SCHEMATIC
4	10010001	1	CHASSIS, CUSTOM
5	51010310	1	WHEELBASE GREATER THAN 200"
6		1	Wheelbase = 225".
7		1	**ENG AF Number = 54".
8	25010250	1	FRAME, 10" SINGLE RAILS, DOMEX, SINGLE AXLE (110K PSI)
9	45010001	1	FRONT TOW EYES, BELOW BUMPER
10	45010015	1	FRONT TOW EYE FINISH, PAINTED
11	46010000	1	REAR TOW EYES
12	40010250	1	STEERING - ROSS TAS-85
13	22010000	1	DRIVE LINE, SPICER, 1710 SERIES
14	23013340	1	ENGINE, CUMMINS ISL 9 450HP DOC-DPF-DEF-SCR OBD

Line	Item #	Qty	Item Description/Comments
15	23030006	1	AIR INTAKE/EMBER SEPARATOR
16	23031172	1	FUEL FILTER/WATER SEPARATOR, PRIMARY, FLEETGUARD, FS1065
17	23031210	1	FUEL FILTER, SECONDARY, FLEETGUARD, FF63009
18	47012430	1	TRANSMISSION, ALLISON GEN 5, EVS3000
19	23110003	1	JACOBS ENGINE BRAKE FOR CUMMINS ISL ENGINES
20	47024050	1	TRANSMISSION COOLER
21	47025000	1	TRANSMISSION FLUID, CASTROL TRANSYND
22	47030000	1	ALLISON TOUCH PAD SHIFTER
23		1	**ENG Shifter Pad Gearing = 5 gears open, 6'th gear locked.
24	21021200	1	COOLING SYSTEM
25	21030000	1	FAN CLUTCH
26	21030200	1	RADIATOR COOLANT RECOVERY, PRESSURIZED SYST
27	26010010	1	FUEL TANK, STAINLESS STEEL, 65 GAL
28	26030000	1	FUEL FILL
29	26030100	1	FUEL COOLER
30	24040000	1	DIESEL EXHAUST FLUID TANK
31		1	**ENG DEF Access = DEF Door.
32	24530200	1	EXHAUST ADAPTER FOR PLYMOVENT GRABBER SYSTEM
33	13012115	1	ALTERNATOR, NIEHOFF, 360 AMP
34	15010500	1	BATTERIES, INTERSTATE TYPE 31 MHD (4)
35	15031700	1	BATTERY JUMPER TERMINALS
36	15088888	1	BATTERY CHARGER, KUSSMAUL INVERTER – CHARGER 430-1200-0
37		1	**ENG Status indicator = Model # 020-4290-0.
38	15030430	1	120V SHORELINE INLET, KUSSMAUL SUPER 20 AUTO EJECT

Line	Item #	Qty	Item Description/Comments
39		1	**ENG Shoreline Inlet Location = Driver's side of Cab, standard location.
40		1	**ENG Shoreline Cover Color = Red.
41		1	**ENG Battery Charger Note: Body Facility to provide/install battery charger & Auto Eject.
42	14010524	1	FRONT AXLE, MERITOR MFS-20-133A 20,000 LB.
43	41010115	1	SUSPENSION FRONT 20,000 LBS. 54" LEAF
44	41030100	1	SUSPENSION, ENHANCED SYSTEM
45	43010305	1	FRONT TIRES GOODYEAR 385/65R22.5 LRJ G296 22.5 x 12.25 WHEELS
46	14510530	1	REAR AXLE, MERITOR RS-26-185 27,000 LB.
47	14530100	1	TOP SPEED, 68 MPH
48	42010015	1	SUSPENSION REAR FIREMAAX 27,000 LBS. AIR RIDE
49	44010320	1	TIRES, REAR, GOODYEAR 12R22.5 LRH G622 MUD & SNOW 24,000 - 27,000 GVWR
50	42910200	1	TIRE PRESSURE MONITOR, REAL WHEELS, LED
51	44210100	1	WHEELS, ALUM, ACCURIDE (max 27K rear)
52	44270100	1	HUB COVERS, FRONT & REAR, POLISHED STS (Single Axle)
53	44270300	1	CHROME LUG NUT CAPS, FRONT & REAR (Single Axle)
54	44271100	1	MUD FLAPS, FRONT (PAIR)
55	44271200	1	MUD FLAPS, REAR (PAIR)
56	16010009	1	BRAKES MERITOR SCAM 6" FRT 7" REAR
57	18010041	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
58	18220500	1	NO ELEC STABILITY CONTROL SYS
59	18110000	1	WABCO 4 CHANNEL ANTI-LOCK BRAKES
60	14530500	1	TIRE CHAINS, ON-SPOT, 6 STRANDS
61	54010000	1	MISCELLANEOUS ITEMS ON CHASSIS
62	11023250	1	CAB TSAL4E 73" 10" RR 1/2

Line	Item #	Qty	Item Description/Comments
63	11030025	1	CAB CERTIFICATION - STRUCTURAL INTEGRITY
64	11031025	1	CAB TILT SYSTEM W/AIR TURN VALVE
65		1	**ENG Cab Tilt Controls = Officer's side Pump Panel.
66	11031100	1	MANUAL BACK-UP TILT SYSTEM
67	11031350	1	CAB DOORS, FULL LENGTH
68	11031419	1	CAB DOOR WINDOWS, MANUAL
69	11031401	1	CAB SIDE WINDOWS, FIXED
70	11031460	1	NO WINDOWS, BACK WALL OF CAB
71	11030210	1	**REV-A** EXTERIOR COMPTS, SIDE OF EXT CAB
72	52010010	1	SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS
73	27022000	1	HANDRAILS, CAB, KNURLED STAINLESS STEEL
74	27030600	1	COAT HOOKS FOR GRAB HANDRAILS (4)
75	27030710	1	**REV-A** HANDRAILS, FRONT OF CAB, KNURLED STAINLESS STEEL (PAIR)
76	38010015	1	MIRRORS LANG MEKRA 300 SERIES REMOTE
77	11024410	1	RAISED GRILLE, TUBULAR STYLE FACADE (ISL)
78	20012200	1	**REV-A** BUMPER, 24" FORMED STEEL CHANNEL, PAINTED, **FULL WRAP**
79		1	**CLAR NOTES , Match HS-5838. Painted formed steel wraps around sides of bumper w/no recess.
80		1	**ENG Paint Bumper RED to match truck.
81	20088888	1	**REV-A** SPECIAL ITEM, BLACK SCORPION LINE TOP EDGE OF THE BUMPER RADIUS FOR SCUFF PROTECTION
82	20040220	1	STORAGE WELL, ALL DEEP COMPTS, FULL WIDTH (24" BUMPER)
83		1	<p>**ENG There shall be a hose well trough located in the front bumper, consisting of (3) compartments. The trough shall run the full width of the bumper and measure approximately 75" wide x 16" long x 6" deep in the shallow portions, and 12" deep in the deep compartment. The trough shall be constructed of .125" smooth aluminum plate.</p> <p>A portable winch shall be stored in the driver's side shallow portion of the trough. A divider shall act as an extension of the deep compartment's driver side wall and protrude up some amount of inches in order to separate the winch from the pre-connected hose.</p> <p>The pre-connected 1.75" hose shall be laid from the officer's side to the middle compartment. A divider shall run parallel to the front edge of the bumper, 2" away from the front bumper trough discharge elbow. Another divider shall run perpendicular to the front bumper edge and separate the</p>

Line	Item #	Qty	Item Description/Comments
			officer's side compartment of the trough from the deep center compartment of the trough. Only run 2'nd divider to the 1'st (parallel) divider, not full depth. Contact Andy Herb/Richie Miller with questions.
84	20040300	1	1" LIP AROUND BUMPER TROUGH
85	20088888	1	SPECIAL STORAGE WELL COVER GREATER THAN 2"
86		1	**CLAR NOTES, Dealer will provide winch before production of special storage well cover. Cover needs to be tall enough to clear winch when it's lying in the driver's side shallow portion of the storage well.
87		1	**ENG Storage Well Cover Note: Body Facility to provide/install storage well cover.
88	20050300	1	WINCH RECEIVER, FRONT
89	20050320	1	WINCH RECEIVER, SIDES
90	20050310	1	WINCH RECEIVER, REAR
91	20050395	4	WIRING FOR WINCH RECEIVER (4)
92	12010500	1	AIR HORNS, DUAL, GROVER #2040 RECTANGULAR
93		1	**ENG Air Horns Location: Inboard in Bumper.
94	12030205	1	AIR HORNS WIRED TO STEERING WHEEL BUTTON
95	12040010	1	MOMENTARY SWITCH ON DASH, OFFICER'S SIDE
96	12510110	1	SIREN, WHELEN 295HFS2, REMOTE FLUSH MOUNT
97	12610110	1	**REV-A** SIREN SPEAKER, CAST PROD SA4201-6B-A (1) IN GRILLE
98	12710100	1	SIREN, FEDERAL Q2B, FLUSH GRILLE MOUNT
99	12730305	1	FOOT SWITCH, DRIVER'S SIDE, FOR MECH SIREN
100		1	**ENG Siren Brake switch for Driver.
101	12730310	1	FOOT SWITCH, OFFICER'S SIDE, FOR MECH SIREN
102		1	**ENG Siren Brake switch for Officer.
103	32510000	1	HEADLIGHTS, HALOGEN, DUAL STS HOUSINGS
104	48010300	1	WHELEN 400 SERIES LED FRONT TURN SIGNALS (4)
105	31010287	1	INTERIOR, MULTISPEC GRAY SPECKLE PAINT W/GRAY-BLACK DURAWEAR
106	11032929	1	DOOR PANEL, FULL STS

Line	Item #	Qty	Item Description/Comments
107	11032955	1	**REV-A** REFLECTIVE MATL, INTERIOR CAB DOORS, SCOTCHLITE CHEVRONS
108		1	**ENG Reflective Striping Color = Red/White.
109		1	**ENG Reflective Striping Verbiage = "SUTPHEN".
110	31010290	1	CAB INTERIOR FLOOR COVERING, GRAY RUBBERIZED
111	22510100	1	ENGINE ENCLOSURE, FULL SIZE
112	22510531	1	**REV-A** ENGINE ENCLOSURE COVERING, SCORPION GRAY URETHANE BLEND
113	11031680	1	CENTER CONSOLE W/MAP BOOK STORAGE, TOP OF ENGINE ENCLOSURE
114	22610000	1	ENGINE HOOD LIGHT, HALOGEN (1)
115	11031510	1	FLAT WORK SURFACE IN LIEU OF GLOVE BOX
116	30010120	1	INSTRUMENTATION, BEEDE GAUGES W/ CENTER & OVERHEAD CONSOLES
117		1	**ENG Overhead Console Panel's Finish: Black Wrinkle.
118		1	**ENG Overhead Console Position 1: Switch #1: Emergency Master. Switch #2: Momentary Kill Switch for White Lights in Lightbar. Switch #3: Roto-Ray. Switch #4: Front Scene. Switch #5: Rear Scene. Switch #6: Left Scene. Switch #7: Right Scene.
119		1	**ENG Overhead Console Position 2: -Voyager Camera Monitor.
120		1	**ENG Overhead Console Position 3: -HVAC Controls.
121		1	**ENG Overhead Console Position 4: -Chassis Indicator Lights. -Seat Belt Monitor.
122		1	**ENG Overhead Console Position 5: -Blank.
123		1	**ENG Overhead Console Position 6: -Traffic Advisor Control Head.
124		1	**ENG Overhead Console Position 7: -Blank.
125		1	**ENG Lower Command Console Finish: Gray Urethane.
126		1	**ENG Lower Console Panel's Finish: Black Wrinkle.
127		1	**ENG Lower Console Position 1: -Transmission Touchpad. -Pump Shift.
128		1	**ENG Lower Console Position 2:

Line	Item #	Qty	Item Description/Comments
			Switch #1: Jake On/Off. Switch #2: Jake Low/Med/High. Switch #3: High Idle. Switch #4: Horn / Air Horns Selector. Switch #5: Q2B Brake.
129		1	**ENG Lower Console Position 3: -Parking Brake. -Siren Control Head (mount as low as possible). -12V Power Points (called out below).
130		1	**ENG Lower Console Position 4: -Blank.
131		1	**REV-A** **ENG Lower Console Position 5: Switch #1: Emergency Master. Switch #2: Air Horns. Switch #3: Q2B Brake. Switch #4: Front Scene. Switch #5: Rear Scene. Switch #6: Left Scene. Switch #7: Right Scene.
132	30010700	1	CAB PUMP SHIFT
133	29910000	1	LOAD MANAGER, CLASS-1
134	30031100	1	HIGH IDLE SWITCH
135	30031771	1	12V POWER POINTS, (1)
136		1	**ENG Power Point Location: Driver's side Lower Console Position 3.
137	30031801	1	12V DUAL PORT USB POWER POINT, (1)
138		1	**ENG USB Power Point Location: Officer's side Lower Console Position 3.
139	84541545	1	**REV-A** POWER & GROUND STUDS, LOWER COMMAND CONSOLE
140		1	**ENG Requirements (AMPS) for Power/Ground Studs in Upper Command Console: (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 30-amp controlled by the ignition switch. (1) 12-volt 125-amp ground.
141	33010000	1	**REV-A** SPOTLIGHTS, HAND HELD, OPTRONICS KB-4003, MTD ON BREAKER COVER
142	30110000	1	VEHICLE DATA RECORDER, AKRON/WELDON
143	33510030	1	INTERIOR CAB LIGHTS, RED/CLEAR LED (2)
144	34010030	1	INTERIOR CREW LIGHTS, RED/CLEAR LED (2)
145	28010740	1	DEFROSTER, HEATER & A/C (COMPACT)
146	28030500	1	DEFROSTER DUCTWORK, ENTIRE WINDSHIELD

Line	Item #	Qty	Item Description/Comments
147	11031687	1	TOOL MOUNTING PLATE, 25" x 19.5", TOP OF HEAT/AC UNIT
148	38510105	1	DRIVER'S SEAT, BOSTROM SIERRA HIGH BACK ABTS AIR RIDE (DURAWEAR)
149	38320000	1	HELMET STORED IN COMPARTMENT
150	39010120	1	**REV-A** OFFICER'S SEAT, BOSTROM TANKER 450, ABTS SCBA (DURAWEAR)
151	39030020	1	**REV-A** OFFICER'S SEAT COMPT, FRONT DOOR
152	38320000	1	HELMET STORED IN COMPARTMENT
153	11031821	1	EMS CABINET, REAR FACING, BEHIND DRIVER
154	11031822	1	EMS CABINET, REAR FACING, BEHIND OFFICER
155		1	**ENG EMS Cabinet Note: Springfield to purchase & ship loose (Body Facility to install).
156	39521425	1	**REV-A** CREW SEAT 3, BOSTROM TANKER 400CT, ABTS SCBA FLIP UP (DURAWEAR)
157	38320000	1	HELMET STORED IN COMPARTMENT
158	39521426	1	**REV-A** CREW SEAT 4, BOSTROM TANKER 400CT, ABTS SCBA FLIP UP (DURAWEAR)
159	38320000	1	HELMET STORED IN COMPARTMENT
160		1	**REV-A** **ENG Install Crew Seats on back wall approximately 12" apart (inboard edge to inboard edge).
161	39550100	1	SEAT COLOR, GRAY
162	39610000	3	SCBA BRACKETS, BOSTROM, SECURE ALL (3)
163	38410000	1	SEAT BELT WARNING SYSTEM, AKRON / WELDON
164	39710015	1	CREW SEAT COMPT, FRONT DROP-DOWN DOORS (73" CAB)
165	11088888	1	**REV-A** 3-WAY SWITCHING FOR OFFICER X4
166	11088888	1	**REV-A** WHITE LIGHT KILL SWITCH FOR LIGHTBAR
167	84541700	2	**REV-A** INSTALLATION OF CUSTOMERS 2-WAY RADIO ANTENNA (2)
168		1	**ENG Antenna Termination Location: Terminate both antennas in Lower Console Position 3.
169	84588888	1	**REV-A** VOYAGER, SINGLE CAMERA
170		1	**ENG Camera Mounting Location #1: Rear of Body.

Line	Item #	Qty	Item Description/Comments
171		1	**ENG Camera Monitor Mounting Location: Overhead Console Position 2.
172		1	**ENG Camera System Note: Body Facility to provide/install camera system.
173	60020200	1	WATEROUS PUMP CSU-1500 GPM SINGLE STAGE
174	60025300	1	GEARBOX, WATEROUS, REAR MOUNTED
175	60026010	1	PUMP PACKING, WATEROUS
176	60035121	1	PUMP TEST, MISTRAS GROUP, INC
177	61510000	1	AUXILIARY COOLER (HEAT EXCHANGER)
178	62010002	1	STAINLESS STEEL PIPING
179	66020100	1	3" TANK TO PUMP W/CHECK VALVE
180	61720100	1	VALVE, AKRON HEAVY DUTY
181	61770120	1	ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS
182	73010201	1	TANK FILL 2"
183	61720100	1	VALVE, AKRON HEAVY DUTY
184	61770120	1	ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS
185	61010405	1	PRESSURE GOVERNOR, CLASS 1 TPGJ1939
186	61210000	1	INTAKE PRESSURE CONTROL, ELKHART 40-20
187	63021100	1	6" MAIN SUCTION, LEFT SIDE
188		1	**ENG Use short suction pipe coming out of panel for roll-up door clearance.
189	65030000	1	2.5" LEFT SIDE INLET
190	61720100	1	VALVE, AKRON HEAVY DUTY
191	61770100	1	ACTUATOR, VALVE, SWING HANDLE
192	60036010	1	THREADS, NST
193	63025100	1	6" MAIN SUCTION, RIGHT SIDE
194		1	**ENG Use short suction pipe coming out of panel for roll-up door clearance.

Line	Item #	Qty	Item Description/Comments
195	64030000	1	2.5" RIGHT SIDE INLET
196	61720100	1	VALVE, AKRON HEAVY DUTY
197	61770100	1	ACTUATOR, VALVE, SWING HANDLE
198	60036010	1	THREADS, NST
199	70525125	1	2.5" DISCHARGE, LEFT – POSITION 1
200	61720100	1	VALVE, AKRON HEAVY DUTY
201	61770100	1	ACTUATOR, VALVE, SWING HANDLE
202	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
203	60036010	1	THREADS, NST
204	70525125	1	2.5" DISCHARGE, LEFT – POSITION 2
205	61720100	1	VALVE, AKRON HEAVY DUTY
206	61770100	1	ACTUATOR, VALVE, SWING HANDLE
207	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
208	60036010	1	THREADS, NST
209	71025130	1	3" DISCHARGE, RIGHT – POSITION 3
210	61840260	1	**REV-A** SPECIAL ADAPTER, 3" F [NST] X 5" STORZ W/CAP & CHAIN, TFT
211		1	**ENG Engineer please look at clearance between discharge and roll-up door. Purchasing order shallow-most adapter to accomplish clearance and allow roll-up door to close.
212	61720100	1	VALVE, AKRON HEAVY DUTY
213	61770200	1	ACTUATOR, VALVE, AKRON HANDWHEEL W/INDICATOR
214	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
215	60036010	1	THREADS, NST
216	71025125	1	2.5" DISCHARGE, RIGHT – POSITION 4
217	61720100	1	VALVE, AKRON HEAVY DUTY
218	61770100	1	ACTUATOR, VALVE, SWING HANDLE

Line	Item #	Qty	Item Description/Comments
219	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
220	60036010	1	THREADS, NST
221	71530100	1	DISCHARGE 2.5" VALVE 2.5" PIPE TO LEFT REAR
222	61720100	1	VALVE, AKRON HEAVY DUTY
223	61770120	1	ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS
224	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
225	60036010	1	THREADS, NST
226	72230000	1	DISCHARGE 1.5" FRONT BUMPER, 2" PLUMBING
227	61720100	1	VALVE, AKRON HEAVY DUTY
228	61770120	1	ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS
229	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
230	60036010	1	THREADS, NST
231		1	**ENG Front Bumper Swivel Location/Side = Officer's side.
232		1	**ENG Front Discharge Swivel Location/Trough = In Trough.
233	72530100	1	DECK GUN DISCHARGE 3"
234	61720100	1	VALVE, AKRON HEAVY DUTY
235	61770200	1	ACTUATOR, VALVE, AKRON HANDWHEEL W/INDICATOR
236	77021010	1	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"
237	72570100	1	DECK GUN TERMINATION, THREADED
238	72555885	1	MONITOR, TFT MONSOON, ELECTRIC 2000 GPM
239	72530600	1	TFT MODEL M-R 150-1000 GPM NOZZLE
240	72588888	1	SPECIAL ITEM, TFT RC3-ELECTRIC EXTEND-A-GUN
241	72888888	1	SPECIAL ITEM, TWO 1.5" SPEEDLAYS W/LIFTOUT TRAY & ONE 2.5" SPEEDLAY W/LIFTOUT TRAY (SM)
242		1	**CLAR NOTES, Poly trays.

Line	Item #	Qty	Item Description/Comments
243		1	**ENG Crosslay Hose Load Requirement = 1.5" Speedlays: 200' each. 2.5" Speedlay: 200'.
244	61720100	3	VALVE, AKRON HEAVY DUTY (3)
245	61770120	3	ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS (3)
246	77021010	3	GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" (3)
247	60036010	3	THREADS, NST (3)
248	61742000	1	MASTER PUMP DRAIN, MULTIPOINT
249	61730005	13	DRAIN VALVES, INNOVATIVE CONTROLS, LIFT-UP (13)
250	73570300	1	FOAMPRO 2002, 5.0 GPM
251		1	**ENG Foam to the following discharges: -Front bumper discharge. -(3) Crosslays. -Rear discharge.
252	73588888	1	**REV-B** FOAM TANK 20 GALLON IN DUNNAGE AREA - CLASS B FOAM
253	73588888	1	**REV-B** FOAM TANK 30 GALLON IN DUNNAGE AREA - CLASS A FOAM
254	73576105	1	SELECTOR VALVE, FOAM PRO, MANUAL
255	74988888	1	PA SM3 – SPECIAL SIDE MOUNT PUMP PANEL – 60" LONG – (3) SPEEDLAYS – PAINTED ROLLUP DOORS
256		1	**ENG Make roll-up doors on pump panel as close to height of roll-up doors on body as possible to still allow the required hose capacities in each speedlay.
257	75088888	1	SPECIAL ITEM, PAINTED ROLL UP DOORS OVER PUMP PANEL
258	74930500	1	PANEL FINISH, BLACK VINYL
259	74931000	1	ESCUTCHEON PLATES
260	74931050	1	COLOR CODING
261		1	**ENG Color Coding Standard = Yes.
262	74931100	1	PUMP & FRAMEWORK, PAINTED
263	75510200	1	**REV-A** PUMP PANEL LIGHTS, LED STRIPS
264	75530100	1	LIGHT ON OPPOSITE SIDE PUMP PANEL, LED STRIPS
265	76010105	1	PUMP PANEL GAUGES & CONTROLS

Line	Item #	Qty	Item Description/Comments
266	60028050	1	PUMP PRIMER, TRIDENT, AIR
267	60028310	1	(1) PRIMER BUTTON - MAIN SUCTION
268	76031900	1	AIR HORN PUSH BUTTON SWITCH ON PUMP PANEL
269		1	**ENG Air Horn Push Button Location = Readily visible / easily reached by pump operator.
270	76510060	1	GAUGES, MASTER, INNOVATIVE CONTROLS, 4"
271	77510050	1	GAUGE, WATER LEVEL, INNOVATIVE CONTROLS
272	77532102	1	GAUGE, WATER LEVEL, WHELEN PSTANK LED (2)
273		1	**CLAR NOTES, Wire for Parking Brake actuation.
274		1	**ENG Whelen Gauge Locations = Driver's side of Cab behind Crew Door.
275		1	**ENG Whelen Gauge Locations = Officer's side of Cab behind Crew Door.
276	77540100	1	GAUGE, FOAM LEVEL, INNOVATIVE CONTROLS
277	77540100	1	GAUGE, FOAM LEVEL, INNOVATIVE CONTROLS
278	83525000	1	WATER TANK BRAND, UNSPECIFIED
279	83510105	1	WATER TANK, 750 GAL, POLY
280	80110520	1	BODY PA-16 RES 56/53 LAD UND HSBD & DBL HATCH
281	80029900	1	BODY SUBFRAME, PUMPER/TANKER
282	80245125	1	OIL DRY HOPPER (IN UPPER HATCH COMPARTMENT)
283		1	**ENG Oil Dry Hopper Location and Termination = Match HS-5793 DuBois, PA Oil Dry Chute.
284	81165705	1	UNISTRUT TRACK IN COMPTS
285	80220110	1	COMPT DOORS, ROM ROLL-UP, PAINTED
286	84530910	1	COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT
287	81310000	1	HOSEBED, ALUM FLOORING
288		1	**REV-B** **ENG Hosebed Hose Load Req. = -800' OF 5" -600' OF 3" -STOKES STORAGE

Line	Item #	Qty	Item Description/Comments
289	81410200	1	COVER, ALUMINUM 2 PC, MAIN HOSE BED, NOT SYMMETRICAL- SEE RICHIE MILLER
290		1	**ENG Hosebed End Flaps Color = Red.
291		1	**ENG Hosebed End Flaps Fastener = Bungee with Tabs.
292	81330302	1	**REV-A** HOSE BED DIVIDERS, ADJ (1)
293	81388888	1	SPECIAL ITEM, STOKES BASKET STORAGE IN OFFICER'S SIDE OF HOSEBED
294		1	**ENG Provide straps on front and back of stokes basket to keep it in place.
295		1	**CLAR NOTES, Customer's stokes basket dimensions = 2' wide x 7' long.
296	81910100	1	HANDRAILS, KNURLED STS
297	82013100	1	STEPS, ALUM PUMPERS
298	82040100	1	REAR ACCESS LADDER, STAINLESS STEEL
299		1	**ENG State Ladder Location = Rear of Body, Driver's side.
300	82510000	1	RUB RAILS, ANODIZED ALUM
301	83010050	1	ALUMINUM TREADPLATE (ALUM PPR, PRG1, C-SER, TANKER)
302	80231200	1	4 SCBA CYLINDER COMPTS
303	88520100	1	SUCTION HOSE, (2) 10' SECT 6" KOCEK LIGHTWEIGHT
304		1	**ENG Suction Hose Location = Hard suction will be mounted next to ladders above the water tank. Below the hatch compartment.
305	88540200	1	SUCTION HOSE COMPARTMENT RIGHT OF LADDERS AND PIKE POLE STORAGE COMPARTMENT
306	88550300	1	STRAINER NOT PROVIDED
307	89011500	1	ALCO-LITE PEL-24 24'2 SEC & PRL-14 14' ROOF & 10' FOLDING
308	89510400	1	LADDERS MOUNTED ABOVE WATER TANK, UNDER HOSBED, RIGHT
309	89050800	1	FOLDING LADDER/(3) PIKE POLE STORAGE COMPT, ABOVE WATER TANK, UNDER HOSE BED, LEFT
310		1	**CLAR NOTES, Recess Pike Pole chutes. Customer will be storing hooks as well as pike poles.
311	84550110	1	**REV-A** LICENSE PLATE BRACKET W/ LIGHT, LED
312	84510100	1	ELECTRICAL DESCRIPTION

Line	Item #	Qty	Item Description/Comments
313	84520000	1	BACK UP ALARM, ECCO SA917
314	85010302	1	TAIL/TURN/BACKUP, WHELEN 600, LED, QUAD
315	85110100	1	ICC LIGHTS, LED
316	85510100	1	STEP LIGHTS, LED, WHELEN 2G AT PUMP PANEL, LED STRIP FRONT & REAR BODY
317	85710010	1	UNDERCARRIAGE GROUND LIGHTS, LED
318	86528888	1	NO WORK LIGHTS
319	87010325	1	WARNING LIGHTS, UPPER, WHELEN, LED FREEDOM 12 IV
320		1	**ENG Lightbar Details = (10) Red LEDs. (2) Clear LEDs. Clear Lenses.
321		1	**ENG Upper Warning Lights Note: Springfield to purchase, install, but do not wire (Dublin will wire).
322	87510371	1	WARNING LIGHTS, LOWER, WHELEN 600 SUPER LED
323		1	**ENG Warning Light Color = Red.
324		1	**ENG Warning Light Lens Color = Red.
325		1	<p>**ENG Warning Light Locations =</p> <p>(10) 600 Red LEDs w/Red lenses:</p> <p>(2) on front face of each cab upper warning light housing.</p> <p>(1) on side of each headlight housing.</p> <p>(1) each side of body on fenders ahead of axle.</p> <p>(1) each side on rear of body in bottom of taillight housings.</p> <p>(4) 500 Red LEDs w/Red lenses:</p> <p>(1) each side of body in rear rubrails below L3/R3.</p> <p>(1) each side of body in mid rubrails below L1/R1.</p>
326	87537731	1	<p>**REV-A**</p> <p>WARNING LIGHTS, WHELEN 600, SUPER LED (PAIR) (1)</p>
327		1	**ENG Location: Rear of Body, half-way up, match location on Shop Order Drawing.
328	87088888	1	<p>**REV-B**</p> <p>SPECIAL ITEM, BALDWIN-SOURS GPS OPTICOM MOUNTED IN LIGHT BAR</p>
329		1	<p>**CLAR NOTES,</p> <p>-See Richie Miller for purchasing details.</p> <p>-Contact Baldwin-Sours for installation details.</p>
330		1	**ENG Opticom Note: Body Facility to provide/install Opticom.
331	87537740	4	<p>**REV-A**</p> <p>WARNING LIGHTS, WHELEN M9, SUPER LED (PAIR) (4)</p>
332		1	**ENG Warning Light Lens Color = Red.
333		1	**ENG Warning Light Lens Color = Clear.
334		1	<p>**ENG Warning Light Mounting Location =</p> <p>(1) Each side, Cab extension area, high.</p>

Line	Item #	Qty	Item Description/Comments
			(1) Each side, front of Coffin Compartment areas, high. (1) Each side, rear of Coffin Compartment areas, high. (1) Each side, rear of Body, high, outboard.
335	87537505	1	WARNING LIGHT, ROTO-RAY, LED
336		1	**ENG (2) Reds, (1) White.
337		1	**ENG RotoRay Note: Body Facility to provide/install RotoRay.
338	87040000	1	TRAFFIC ADVISOR, WHELEN LED TAL65 36"
339		1	**ENG Traffic Advisor Head Mounting Location = Overhead Console Position 6.
340	88391050	1	LIGHT, WHELEN PFP2, BROW 12V LED (1)
341		1	**CLAR NOTES, White Housing and Mounting Bracket.
342		1	**ENG Light Switching = Switched in Cab, Overhead Console Position 1, "Front Scene".
343	86537816	4	SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (PAIR) (4)
344		1	**ENG Light Mounting Location & Switching = (1) Each side, above middle Cab Windows. (1) Each side, front Coffin Compartment areas, rear of M9 warnings, high. (1) Each side, rear Coffin Compartment areas, front of M9 warnings, high. (1) Each side, rear of Body, high, inboard of M9 warnings. Switched in Cab, Overhead Console Position 1, "Left Scene", "Right Scene", "Rear Scene".
345	86588888	1	SPECIAL ITEM, COMMAND LIGHT KL408D-W1 ON TOP OF CAB
346		1	**CLAR NOTES, (6) Whelen PSP1 lights. No strobe or backlight.
347	88380990	1	**REV-A** DEFLECTOR, TREADPLATE, FORWARD OF LIGHT TOWER
348		1	**CLAR NOTES, Minimum width, minimum height.
349	89910010	1	CORROSION REDUCTION PROGRAM (PROPOSALS)
350	90010020	1	PAINT SCHEME
351	90030154	1	PAINT FRAME RAILS & BODY SUBFRAME -BLACK
352	90030015	1	**REV-A** A/C CONDENSER PAINTED ROOF COLOR
353	90510000	1	3" LETTERING, 22K (UP TO 40)
354	90530005	60	ADDITIONAL 3" 22KT LETTERS (EACH) (60)
355	90530355	1	MALTESE CROSS LAMINATED 22KT GOLD (Pair)

Line	Item #	Qty	Item Description/Comments
356	90610200	1	6" SCOTCHLITE STRIPE AROUND TRUCK
357	90630100	1	1" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH (1)
358	90680120	1	CHEVRON STRIPING, REAR BODY OUTBOARD, REFLEXITE
359		1	**ENG Chevron Striping, Rear Body Color = #030 Red Transparent & #L2 Fluorescent Lime.
360	90670020	1	**REV-A** CHEVRON STRIPING, FRONT BUMPER, REFLEXITE
361		1	**ENG Chevron Striping, Rear Body Color = #030 Red Transparent & #L2 Fluorescent Lime.
362	91010000	1	MISC EQUIP - (1) PINT TOUCH-UP PAINT, STAINLESS STEEL NUTS & BOLTS
363	91030700	1	ZIAMATIC SAC-44 FOLDING WHEEL CHOCKS MTD W/ SQCH-44H HOLDERS (PAIR)
364		1	**ENG Mounting Locations = Under L1 Compartment.
365	92067750	3	**REV-A** STREAMLIGHT SL-44401 FIRE VULCAN HANDLIGHT W/12 VOLT CHARGER (ORANGE) (3)
366		1	**ENG Mount (2) between Crew Seat #3 and Crew Seat #4 on seat riser surface. Mount third handlight on Officer's corner of mounting plate on A/C unit.
367	99010000	1	MANUALS (1-PRINTED & 1-CD) WITH DVD
368	99031105	1	PICK-UP UNIT AT FACTORY
369	99510000	1	ONE YEAR WARRANTY
370	PDB888888	1	DEALER SUPPLIED - PORTABLE WINCH, WARN, 9000 LB. (1) XD-9000I
371	PDB000316	1	DEALER SUPPLIED - DAVID CLARK 4-POSITION HEADSET SYSTEM
372	PDB888888	2	**REV-A** DEALER SUPPLIED - RIGHT MAIN INTAKE VALVE - AKRON BRASS REVOLUTION (2)
373		1	**CLAR NOTES, Terminate (1) in 5" Storz, Terminate (1) in 6" NST threads.
374	PDB000451	1	DEALER SUPPLIED - AKRON BRASS 3443 MERCURY QUICK ATTACK MONITOR
375	PDB888888	1	DEALER SUPPLIED - FMI EQUIPMENT MOUNTING
376	PDB000089	1	DEALER SUPPLIED - TURTLE TILE