






LEFT SIDE COMPARTMENTS				
COMPT	DOORS	OPENING DIMENSIONS	INSIDE DIMENSIONS	VOLUME
L1	ROLL-UP	37.5"w X 57.4"h	43.1"w X 66"h X 27.3"d	40.8 CU. FT.
L2	ROLL-UP	57.5"w X 28.2"h	61.6"w X 36.8"h X 27.3"d	29.8 CU. FT.
L3	ROLL-UP	50.5"w X 57.4"h	53.4"w X 66"h X 27.3"d	50.5 CU. FT.
H1	LIFT-UP	19"w X 55.6"l / 19"w X 87"l	161.8"w X 25.6"h X 21.8"d	52.2 CU. FT.

RIGHT SIDE COMPARTMENTS				
COMPT	DOORS	OPENING DIMENSIONS	INSIDE DIMENSIONS	VOLUME
R1	ROLL-UP	37.5"w X 57.4"h	43.1"w X 66"h X 27.3"d	33.9 CU. FT.
R2	ROLL-UP	57.5"w X 28.2"h	61.6"w X 36.8"h X 16.0"d	19.0 CU. FT.
R3	ROLL-UP	50.5"w X 57.4"h	53.4"w X 66"h X 27.3"d	41.9 CU. FT.
H2	LIFT-UP	19"w X 55.6"l / 19"w X 87"l	161.8"w X 25.6"h X 21.8"d	52.2 CU. FT.
*R1 & R3 HAVE 61.6"w X 24.5"h X 16.0"d MIDDLE SECTIONS				

REAR STEP COMPARTMENT				
COMPT	DOORS	OPENING DIMENSIONS	INSIDE DIMENSIONS	VOLUME
A1	ROLL-UP	37.5"w X 32.8"h	40"h X 40"w X 31"d	28.7 CU. FT.
TOTAL:				349.0 CU.FT.



DIMENSIONS SHOWN ON THIS DRAWING ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS DURING CONSTRUCTION.	CUSTOMER APPROVAL	G	REV-G SHOP ORDER - MOVED EMS CABINETS TO DEALER SUPPLIED / ADDED NOTES FOR PUMP CAMERA MONITOR MOUNTING.	KMG	09/03/20	DRAWN BY: K.GOON	 ASHLAND FIRE DEPARTMENT ASHLAND, OH
		F	REV-F SHOP ORDER - CHANGED RIGHT REAR ACTUATOR TO PUSH/PULL.	KMG	07/27/20	DATE: 10/17/19	
		E	REV-D SHOP ORDER - CLARIFIED 18" OF SPACE BETWEEN CREW SEAT 3 AND CREW SEAT 4 ON REAR WALL OF CAB	RM	07/13/20	MFG. FACILITY: DUBLIN	
		D	REV-D SHOP ORDER	RM	04/29/20	PRODUCT TYPE - S6 BODY	
IN THE EVENT OF A DISCREPANCY BETWEEN THE SUTPHEN SPECIFICATIONS AND DRAWING, THE SUTPHEN SPECIFICATIONS SHALL PREVAIL.	NAME: _____	REV.	DESCRIPTION	BY	DATE	DUBLIN	DWG. NO.: HS-6615
DRAWING IS FOR REFERENCE ONLY. SOME ITEMS PROPOSED MAY NOT BE SHOWN OR NOTED.	TITLE: _____	THIS PRINT IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF SUTPHEN CORPORATION.					
	DATE: _____						

	Sutphen Component Report Dealership: Herb Fire (Andy Herb)	HS-6615 ASHLAND, OH (S6)	
		Contact: Gabe Campbell Position: Assistant Chief Phone: (419) 289-6511 Mobile: (419) 651-7084 Email: campbell.gabe@ashland-ohio.com	Order#: SOB002187

Bill To
Customer: Ashland Fire Dept Contact: Gabe Campbell Address: 274 Cleveland Ave Ashland, OH 44805

Ship To
Customer: Same as Bill-to Contact: Gabe Campbell Address: 274 Cleveland Ave Ashland OH 44805

Comments
Project Coordinator: Kevin Goon Sales Person: Andy Herb Revision Level: REV-G Truck Type: (S6) Body Facility: Dublin

Line	Item #	Qty	Item Description/Comments
1		1	**ENG Facility = Dublin.
2		1	**ENG Truck Series = Program 2.
3	10000215	1	STD WIRING SCHEMATIC
4	10001200	1	MAXIMUM APPARATUS HEIGHT = NONE
5		1	**ENG Overall Apparatus Height = 10'3" +/- 2".
6	10001220	1	MAXIMUM APPARATUS LENGTH = NONE
7		1	**REV-C** **ENG Overall Apparatus Length = 33'2" +/- 2".
8	10010006	1	CHASSIS, CUSTOM
9	51070198	1	**REV-C** WHEELBASE = 197".
10		1	**ENG AF Number = 54".
11	25010255	1	FRAME, 10" DOUBLE RAILS, DOMEX, SINGLE AXLE (110K PSI)
12	45010001	1	FRONT TOW EYES, BELOW BUMPER

Line	Item #	Qty	Item Description/Comments
13	45010015	1	FRONT TOW EYE FINISH, PAINTED
14	46010000	1	REAR TOW EYES
15	40010250	1	STEERING - ROSS TAS-85
16	22010000	1	DRIVE LINE, SPICER, 1710 SERIES
17	23014130	1	ENGINE, CUMMINS L 9 450HP DOC-DPF-DEF-SCR OBD
18	23029100	1	ENGINE WARRANTY, 5 YEAR, 100,000 MILES FOR CUMMINS L9
19	23030006	1	AIR INTAKE/EMBER SEPARATOR
20	23031173	1	FUEL FILTER/WATER SEPARATOR, PRIMARY, FLEETGUARD, FS1098
21	23031210	1	FUEL FILTER, SECONDARY, FLEETGUARD, FF63009
22	47012430	1	TRANSMISSION, ALLISON GEN 5, EVS3000
23	23110005	1	JACOBS ENGINE BRAKE FOR CUMMINS L ENGINES
24	47024050	1	TRANSMISSION COOLER
25	47030000	1	ALLISON TOUCH PAD SHIFTER
26		1	**CLAR NOTES, -Shifter Pad Gearing = 5 gears open, 6'th gear locked. -Department would like to improve the Gear Ratio to help with initial take off. -HS-5927 Had the same gearing but they would like to improve initial take off. -Chassis to confirm.
27	21021200	1	COOLING SYSTEM
28	21030000	1	FAN CLUTCH
29	21030200	1	RADIATOR COOLANT RECOVERY, PRESSURIZED SYST
30	26010010	1	FUEL TANK, STAINLESS STEEL, 65 GAL
31	26030000	1	FUEL FILL
32		1	**REV-A** **CLAR NOTES, -Please install the new standard fuel fill. -See Reference Photo #03 on the Shared Drive. -Contact Kevin Goon for explanation.
33	26030100	1	FUEL COOLER
34	24040000	1	DIESEL EXHAUST FLUID TANK
35		1	**ENG DEF Access = Hinged Door For DEF Access.

Line	Item #	Qty	Item Description/Comments
36	24530200	1	**REV-A** EXHAUST ADAPTER FOR PLYMOVENT GRABBER SYSTEM
37	13010225	1	**REV-A** ALTERNATOR, LEECE NEVILLE 420 AMP BLP4003
38	15010500	1	BATTERIES, INTERSTATE TYPE 31 MHD (4)
39	15031700	1	BATTERY JUMPER TERMINALS
40	15088888	1	SPECIAL ITEM, BATTERY CHARGER KUSSMAUL CHARGER / INVERTER
41		1	**CLAR NOTES, KUSSMAUL CHARGER / INVERTER -A Kussmaul 430-1200-0 battery charger / inverter shall be provided and installed in the cab. -All Shoreline Outlets in the Cab shall be wired through the Inverter.
42	15030430	1	120V SHORELINE INLET, KUSSMAUL SUPER 20 AUTO EJECT
43		1	**ENG Shoreline Inlet Location = Driver's side of Cab, standard location.
44		1	**ENG Shoreline Cover Color = Red.
45	15040100	3	**REV-A** 120V OUTLET WIRED TO SHORELINE INLET - EA (3)
46		1	**REV-A** **CLAR NOTES, -Nema Number = 5-20 House Plug Duplex. -All Shoreline Outlets in the Cab shall be wired through the inverter. -(1) Between the Driver's Seat and the EMS Cabinet. -(1) Between the Officer's Seat and the EMS Cabinet. -(1) In the Overhead Storage Compartment Centered.
47	14010524	1	FRONT AXLE, MERITOR MFS-20-133A 20,000 LB.
48	41010115	1	SUSPENSION FRONT 20,000 LBS. (3) 54" LEAFS
49	41030100	1	SUSPENSION, ENHANCED SYSTEM
50	41040510	1	STEER ASSIST
51	43010305	1	FRONT TIRES GOODYEAR 385/65R22.5 LRJ G296 22.5 x 12.25 WHEELS
52	14510530	1	REAR AXLE, MERITOR RS-26-185 27,000 LB.
53		1	**CLAR NOTES, -Customer is not pleased with the take-off acceleration on the last truck. -Chassis Engineering / Purchasing please research and order appropriately for this truck for maximum take-off speed.
54	14530100	1	TOP SPEED, 68 MPH
55	42090015	1	SUSPENSION REAR FIREMAAX 27,000 LBS. AIR RIDE (PRG)
56	44010320	1	TIRES, REAR, GOODYEAR 12R22.5 LRH G622 MUD & SNOW 24,000 - 27,000 GVWR
57	42910200	1	TIRE PRESSURE MONITOR, REAL WHEELS, LED

Line	Item #	Qty	Item Description/Comments
58	44210100	1	WHEELS, ALUM, ACCURIDE (max 27K rear)
59	44270100	1	HUB COVERS, FRONT & REAR, POLISHED STS (Single Axle)
60	44270300	1	CHROME LUG NUT CAPS, FRONT & REAR (Single Axle)
61	44271100	1	MUD FLAPS, FRONT (PAIR)
62	44271200	1	MUD FLAPS, REAR (PAIR)
63	16010009	1	BRAKES MERITOR SCAM 6" FRONT, SCAM 7" REAR
64	18010041	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
65	18220500	1	NO ELEC STABILITY CONTROL SYS
66	18110000	1	WABCO 4 CHANNEL ANTI-LOCK BRAKES
67	14530500	1	TIRE CHAINS, ON-SPOT, 6 STRANDS
68		1	**ENG Switched in Cab, Lower Console Position 1, "Tire Chains".
69	53510000	1	COMPRESSION FITTINGS ON AIR SYSTEM (CHASSIS)
70	54010000	1	MISCELLANEOUS ITEMS ON CHASSIS
71	11023250	1	CAB TSAL4E 73" 10" RR 1/2
72	11030025	1	CAB CERTIFICATION - STRUCTURAL INTEGRITY
73	11030950	1	CAB LOCKDOWN LATCHES
74	11031025	1	CAB TILT SYSTEM, AIR CONTROL VALVE
75		1	**ENG Cab Tilt Controls = Officer's side Pump Panel.
76	11031100	1	MANUAL BACK-UP TILT SYSTEM
77	11031350	1	CAB DOORS, FULL LENGTH
78	11031385	1	CAB STEPS, LOWER GRIP STRUT, INTERMEDIATE DIAMONDPLATE
79	11031396	1	CAB STEP LIGHTING, FEDERAL SIGNAL COMPLEX LED STRIP LIGHTS
80	11031421	1	CAB DOOR WINDOWS, POWER
81	11031401	1	CAB SIDE WINDOWS, FIXED
82	11031460	1	NO WINDOWS, BACK WALL OF CAB

Line	Item #	Qty	Item Description/Comments
83	52010010	1	ELECTRIC INTERMITTENT WIPERS
84	38010020	1	MIRRORS LANG MEKRA 300 SERIES HEATED & REMOTE
85	11024410	1	UPPER GRILLE, TUBULAR STYLE FACADE (L9)
86	11024500	1	FLAMING "S" LOGO, UPPER GRILLE, REFLECTIVE RED
87	11024602	1	LOWER GRILLE, POLISHED STAINLESS, FOR TUBULAR GRILLE (L9)
88	20012220	1	BUMPER, 24" FORMED STEEL CHANNEL, PAINTED
89		1	**ENG Siren Speaker Perforations = No Speaker Perforations in Bumper.
90	20029810	1	BUMPER SIDES, PAINTED STEEL, FLAT (12"-24" EXTENSION)
91	20088888	1	**REV-A** SPECIAL ITEM, STORAGE WELL, DEEP CENTER, 3/4 WIDTH (24" BUMPER)
92		1	**CLAR NOTES, -Reference HS-5846 Cary, IL for width of storage well. -See Reference Photo #01 on Shared drive.
93	20040300	1	1" LIP AROUND BUMPER TROUGH
94	20088888	1	**REV-A** SPECIAL ITEM, PROTECTIVE BUMPER COATING, RAPTOR, TOP EDGE OF FRONT BUMPER
95		1	**ENG Protective Bumper Coating Color = Black.
96	20030100	1	STORAGE WELL COVER, TREADPLATE, 2" RAISE
97		1	**ENG Move suction outboard as far as possible.
98	20050300	1	WINCH RECEIVER, FRONT
99		1	**ENG No wiring needed, to be used as a tie off only.
100	12010500	1	AIR HORNS, DUAL, GROVER #2040 RECTANGULAR
101		1	**ENG Air Horns Location: Inboard, (1) each side.
102	12030205	1	AIR HORNS WIRED TO STEERING WHEEL BUTTON
103	12040010	1	MOMENTARY SWITCH ON DASH, OFFICER'S SIDE
104		1	**REV-A** **ENG Switched in Cab, Lower Console Position 5, "Air Horns.
105	12510110	1	ELEC SIREN, WHELEN 295HFS2, REMOTE FLUSH MOUNT
106	12620100	1	SIREN SPEAKER, 100W, CAST PRODUCTS, SA4201-6B-A
107	12670110	1	SIREN SPEAKER(S) INSTALLED BEHIND CAB GRILLE

Line	Item #	Qty	Item Description/Comments
108	12710100	1	SIREN, FEDERAL Q2B, GRILLE MOUNT
109	12730305	1	FOOT SWITCH, DRIVER'S SIDE, FOR MECH SIREN
110		1	**ENG Siren Brake Switch for Driver.
111	12730310	1	FOOT SWITCH, OFFICER'S SIDE, FOR MECH SIREN
112		1	**ENG Siren Brake Switch for Officer.
113	32520520	1	HEADLIGHTS, LED, FIRETECH FT-4X6, DUAL STS HOUSINGS
114		1	**ENG Headlight Interior Finish = Chrome.
115	48010300	1	FRONT TURN SIGNALS, WHELEN 400 SERIES LED (4)
116	27022120	1	HANDRAILS, CAB EXTERIOR, KNURLED STAINLESS STEEL (4) SIDE
117	27030710	1	HANDRAILS, FRONT OF CAB, KNURLED STAINLESS STEEL (PAIR)
118	27025000	1	HANDRAILS, CAB INTERIOR, BLACK RUBBER COATED (2) FRONT ENTRY
119	27030100	1	HANDRAILS, REAR CAB INTERIOR DOOR, BLACK RUBBERIZED (2) ONLY
120	11032010	1	EXTERIOR COMPT, SIDE OF EXT CAB, 38" H, DS
121	11032450	1	COMPT DOOR LOCK - NOT PROVIDED
122	11032060	1	EXTERIOR COMPT, SIDE OF EXT CAB, 38" H, OS
123	11032450	1	COMPT DOOR LOCK - NOT PROVIDED
124	11032100	1	NO OPENING TO CREW SEAT COMPT
125	31010287	1	INTERIOR, MULTISPEC GRAY SPECKLE PAINT W/GRAY-BLACK DURAWEAR
126	11032929	1	DOOR PANEL, FULL STS
127	11032955	1	REFLECTIVE MATL, INTERIOR CAB DOORS, SCOTCHLITE CHEVRONS
128		1	**ENG Reflective Striping Color = Stop Signs.
129	31010290	1	CAB INTERIOR FLOOR COVERING, GRAY RUBBERIZED
130	22510100	1	ENGINE ENCLOSURE, FULL LENGTH
131	22510531	1	ENGINE ENCLOSURE COVERING, SCORPION GRAY URETHANE BLEND
132	11031680	1	CENTER CONSOLE W/MAP BOOK STORAGE, TOP OF ENGINE ENCLOSURE

Line	Item #	Qty	Item Description/Comments
133	22610050	1	ENGINE HOOD LIGHT, LED (1)
134	11031510	1	FLAT WORK SURFACE IN LIEU OF GLOVE BOX
135	29810100	1	CHASSIS ELECTRICAL DESCRIPTION
136	30010130	1	INSTRUMENTATION, AMETEK W/ CENTER & OVERHEAD CONSOLES
137		1	**ENG Overhead Console Panel Finish: Black Wrinkle.
138		1	**ENG Overhead Console Position 1: Switch #1: Master Emergency. Switch #2: Momentary Kill Switch for White Lights in Lightbar. Switch #3: Roto-Ray. Switch #4: Front Scene. Switch #5: Rear Scene. Switch #6: Left Scene. Switch #7: Right Scene.
139		1	**ENG Overhead Console Position 2: -Blank.
140		1	**ENG Overhead Console Position 3: -HVAC Controls.
141		1	**ENG Overhead Console Position 4: -Chassis Indicator Lights. -Seat Belt Monitor.
142		1	**ENG Overhead Console Position 5: -Blank.
143		1	**ENG Overhead Console Position 6: -Traffic Advisor Control Head.
144		1	**ENG Overhead Console Position 7: -Blank.
145		1	**ENG Lower Command Console Finish: Gray Urethane.
146		1	**ENG Lower Console Panel's Finish: Black Wrinkle.
147		1	**ENG Lower Console Position 1: -Transmission Touchpad. -Pump Shift.
148		1	**ENG Lower Console Position 2: Switch #1: Jake On/Off. Switch #2: Jake Low/Med/High. Switch #3: High Idle. Switch #4: E Horn / Air Horns Selector. Switch #5: Siren Brake. Switch #6: Blank. Switch #7: Tire Chains.
149		1	**ENG Lower Console Position 3: -Parking Brake. -Siren Control Head (mount as low as possible). -12V Power Points (called out below).
150		1	**ENG Lower Console Position 4: -Blank.
151		1	**ENG Lower Console Position 5: Switch #1: Master Emergency. Switch #2: Air Horns. Switch #3: Siren Brake.

Line	Item #	Qty	Item Description/Comments
			Switch #4: Front Scene. Switch #5: Rear Scene. Switch #6: Left Scene. Switch #7: Right Scene.
152	30010700	1	CAB PUMP SHIFT, AIR
153	29930200	1	MAPBOOK SLOT ON BREAKER PANEL
154	29910100	1	PROGRAMMABLE LOAD MANAGER, CLASS-1 SUPERNODE II
155	30031100	1	HIGH IDLE SWITCH
156	30031802	1	12V DUAL PORT USB POWER POINTS, (2)
157		1	**ENG USB Power Point Location #1: Lower Console Position 3, Driver's corner.
158		1	**ENG USB Power Point Location #2: Lower Console Position 3, Officer's corner.
159	84541540	1	POWER & GROUND STUDS, UPPER COMMAND CONSOLE
160		1	**ENG Requirements (AMPS) for Power/Ground Studs in Upper Command Console: (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 30-amp controlled by the ignition switch. (1) 12-volt 125-amp ground.
161	84541545	1	POWER & GROUND STUDS, LOWER COMMAND CONSOLE
162		1	**ENG Requirements (AMPS) for Power/Ground Studs in Lower Command Console: (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 30-amp controlled by the ignition switch. (1) 12-volt 125-amp ground.
163	30110000	1	VEHICLE DATA RECORDER, AKRON/WELDON
164	33510030	1	INTERIOR CAB LIGHTS, WHELEN 6" ROUND RED/CLEAR LED (2)
165	34010030	1	INTERIOR CREW LIGHTS, WHELEN 6" ROUND RED/CLEAR LED (2)
166	33530654	1	INTERIOR CAB DOOR WARNING LIGHTS, WHELEN ION T-SERIES LED, TLI* (QTY 4)
167		1	**ENG Cab Door Light Color: Red.
168	28010740	1	DEFROSTER, HEATER & A/C (TM-21)
169	28030500	1	DEFROSTER DUCTWORK, ENTIRE WINDSHIELD
170	11031687	1	TOP HEAT/AC STORAGE, TOOL MOUNTING PLATE, 25" x 19.5"
171	38510105	1	DRIVER'S SEAT, BOSTROM SIERRA HIGH BACK ABTS AIR RIDE (DURAWEAR)
172	38320000	1	HELMET STORED IN COMPARTMENT
173	39010120	1	OFFICER'S SEAT, BOSTROM TANKER 450, ABTS SCBA (DURAWEAR)

Line	Item #	Qty	Item Description/Comments
174	39030020	1	OFFICER'S SEAT COMPT, FRONT DOOR
175	38320000	1	HELMET STORED IN COMPARTMENT
176			
177			
178	39521425	1	CREW SEAT 3, BOSTROM TANKER 400CT, ABTS SCBA FLIP UP (DURAWEAR)
179	38320000	1	HELMET STORED IN COMPARTMENT
180	39521426	1	CREW SEAT 4, BOSTROM TANKER 400CT, ABTS SCBA FLIP UP (DURAWEAR)
181	38320000	1	HELMET STORED IN COMPARTMENT
182		1	**REV-E** **ENG Space out Crew Seat 3 & Crew Seat 4 on rear wall so there is 18" of space between the seat bases.
183	39550100	1	SEAT COLOR, GRAY
184	39610000	3	SCBA BRACKETS, BOSTROM, SECURE ALL (3)
185	38410000	1	SEAT BELT WARNING SYSTEM, AKRON / WELDON
186	39710015	1	CREW SEAT COMPT, FRONT DROP-DOWN DOORS (73" CAB)
187	11031740	1	OVERHEAD STORAGE, FRONT OF 10" RR W/NET
188	87588888	1	SPECIAL ITEM, WHITE LIGHT KILL SWITCH
189		1	**ENG Light Switching = Switched in Cab, Overhead Console Position 1, "Momentary Kill Switch for White Lights in Lightbar".
190	84561010	1	CAMERA SYSTEM, FRC, INVIEW TRUEVIEW, SINGLE CAMERA (WIRED)
191		1	**CLAR NOTES, -Camera Mounting Location Driver's Side Rear of Body. -Camera Monitor Location: Under Lower Console 3. -Reference Shop Order Drawing for placement.
192	60089950	1	PUMP, HALE XS QMAX 1500 GPM SINGLE STAGE
193	60025000	1	GEARBOX, HALE, G-SERIES, REAR MOUNTED
194	60026000	1	PUMP PACKING, HALE
195	60035121	1	PUMP TEST, MISTRAS GROUP, INC
196	61510000	1	AUXILIARY COOLER (HEAT EXCHANGER)
197	62010002	1	STAINLESS STEEL PIPING

Line	Item #	Qty	Item Description/Comments
198	66090010	1	3" TANK-TO-PUMP W/CHECK VALVE
199	61729120	1	VALVE, AKRON, HEAVY DUTY
200	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
201	73090001	1	TANK FILL 2"
202	61729120	1	VALVE, AKRON, HEAVY DUTY
203	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
204	61090003	1	PRESSURE GOVERNOR, CLASS 1 TPGJ1939
205	61290020	1	INTAKE PRESSURE CONTROL, TFT A1860
206	63021500	1	6" MAIN SUCTION, LEFT SIDE
207	63090001	1	HALE MASTER INTAKE VALVE, ELEC (SIDE SUCTION)
208	65090000	1	2.5" LEFT SIDE INLET
209	61729120	1	VALVE, AKRON, HEAVY DUTY
210	61770905	1	ACTUATOR, VALVE, SWING CONTROL
211	60036010	1	THREADS, NST
212	63025500	1	6" MAIN SUCTION, RIGHT SIDE
213	63090001	1	HALE MASTER INTAKE VALVE, ELEC (SIDE SUCTION)
214	65550910	1	5" FRONT SUCTION, TOP
215	63090002	1	HALE MASTER INTAKE VALVE, ELEC (FRONT/REAR SUCTION)
216	65552120	1	SWIVEL, 5" NPT X 6" NST
217	65588888	1	SPECIAL ITEM, FRONT SUCTION PRE-CONNECT
218		1	**CLAR NOTES, FRONT SUCTION PRE-CONNECT -A piece of 6" hard suction hose approximately 6' in length shall be pre-connected to the front suction termination. -Move suction outboard as far as possible. -A Kochek LL60 low level strainer shall be connected to the other end of the hard suction hose. -The strainer shall be secured on the front bumper with a mounting bracket and velcro strap. -Reference HS-5846 Cary, IL for hard suction storage on front bumper. -See Reference Photo #02 on Shared drive.
219	70525900	1	2.5" DISCHARGE, LEFT - POSITION 1 30 DEG
220	61729120	1	VALVE, AKRON, HEAVY DUTY

Line	Item #	Qty	Item Description/Comments
221	61770915	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1 W/ RACK & SECTOR
222	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
223	60036010	1	THREADS, NST
224	70525900	1	2.5" DISCHARGE, LEFT - POSITION 2 30 DEG
225	61729120	1	VALVE, AKRON, HEAVY DUTY
226	61770915	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1 W/ RACK & SECTOR
227	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
228	60036010	1	THREADS, NST
229	71025905	1	3" DISCHARGE, RIGHT - POSITION 3 30 DEG
230	61729160	1	VALVE, AKRON, SLOW CLOSE
231	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
232	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
233	60036010	1	THREADS, NST
234	61840260	1	ADAPTER, 3" NST FE X 5" STORZ W/CAP & CHAIN, TFT
235	71025900	1	2.5" DISCHARGE, RIGHT - POSITION 4 30 DEG
236	61729120	1	VALVE, AKRON, HEAVY DUTY
237	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
238	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
239	60036010	1	THREADS, NST
240	71590000	1	DISCHARGE, 2.5" LEFT REAR 30 DEG
241	61729120	1	VALVE, AKRON, HEAVY DUTY
242	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
243	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
244	60036010	1	THREADS, NST
245	72030800	1	**REV-A** DISCHARGE 2.5" FRONT/RIGHT OF MAIN HOSEBED

Line	Item #	Qty	Item Description/Comments
246	61729120	1	VALVE, AKRON, HEAVY DUTY
247	61770900	1	**REV-F** ACTUATOR, VALVE, PUSH/PULL, CLASS 1
248	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
249	60036010	1	THREADS, NST
250	72290000	1	1.5" FRONT BUMPER DISCHARGE, 2" PLUMBING
251	61729120	1	VALVE, AKRON, HEAVY DUTY
252	61770900	1	ACTUATOR, VALVE, PUSH/PULL, CLASS 1
253	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
254	60036010	1	THREADS, NST
255		1	**ENG Front Bumper Swivel Location/Side = Driver's side.
256		1	**REV-A** **ENG Front Discharge Swivel Location/Trough = In trough.
257	73030300	1	DIRECT TANK FILL 2.5" REAR
258	61729120	1	VALVE, AKRON, HEAVY DUTY
259	61770905	1	ACTUATOR, VALVE, SWING CONTROL
260	72590002	1	DECK GUN DISCHARGE 3"
261	61729120	1	VALVE, AKRON, HEAVY DUTY
262	61788888	1	**REV-B** SPECIAL ITEM, ACTUATOR, VALVE, ELECTRIC, AKRON 6037
263		1	**CLAR NOTES, -Akron 6037 Wireless Receiver. -Note when ordering note that the Auxiliary button needs to control the valve. -Valve will have a manual override on the electric actuator. Auxiliary button function: -Single press - Valve opens while button held down. Closes once released. -Double press - Opens and keeps open the valve.
264	77090000	1	GAUGE, DISCH, CLASS 1 2.5"
265	72570100	1	DECK GUN TERMINATION, THREADED
266	72588888	1	SPECIAL ITEM, MONITOR, AKRON DECKMASTER 3440 ELECTRIC
267		1	**REV-D** **CLAR NOTES, -Akron Brass Deckmaster electric monitor shall be provided and installed above the pump.

Line	Item #	Qty	Item Description/Comments
			<ul style="list-style-type: none"> -The package shall include the following items: -3440 Deckmaster Electric monitor and logic box. -3406 Electric Riser. -2499 Triple Stacked Tips. -Wireless Remote Control. -Controller needs Aux button to control the AKRON 6037 valve remotely. -4 Switch Control Box including stow for Pump Panel. -Engineering contact Jeff Benson (419-560-3221) for details.
268	72588888	1	**REV-D** **SPECIAL ITEM, AKRON BRASS STREAM SHAPER
269		1	**REV-D** **CLAR NOTES, -Akron Brass model: 3485 Mini Stream Shaper. -This is needed if the Akron 2499 Stacked Tips are used.
270	72890020	1	SPEEDLAYS, TWO 2" W/1.5" SWIVELS & POLY LIFT-OUT TRAYS
271		1	**ENG Crosslay Hose Load Requirement = (2) x 200' of 1.75" hose each.
272	61729120	2	VALVE, AKRON, HEAVY DUTY (2)
273	61770900	2	ACTUATOR, VALVE, PUSH/PULL, CLASS 1 (2)
274	77090000	2	GAUGE, DISCH, CLASS 1 2.5" (2)
275	60036010	2	THREADS, NST (2)
276	72929999	1	CROSSLAY/SPEEDLAY COVER, NOT PROVIDED
277	72854500	1	**REV-A** ADDITIONAL POLY TRAY (1)
278		1	**ENG Tray to Ship Loose.
279	61742000	1	MASTER PUMP DRAIN, MULTIPOINT
280	61790510	10	DRAIN VALVES, HALE, LIFT-UP (10)
281	73590220	1	FOAM SYSTEM, HALE SMARTFOAM 5.0 - CLASS A & B (PRG)
282		1	**ENG Class of Foam = Class A & B Foam.
283	73531350	1	FOAM TANK 20 GALLON BUILT INTO BOOSTER TANK
284	73531425	1	FOAM TANK 30 GALLON BUILT INTO BOOSTER TANK
285	73576150	1	SELECTOR VALVE, HALE ADT, AIR (A & B W/FLUSH)
286	74929135	1	HALE PUMP MODULE CONFIGURATION, SIDE MOUNT, SPEEDLAYS
287	74914140	1	PRG SM4 - SIDE MOUNT PUMP PANEL (SPEEDLAYS)
288	74928110	1	PUMP MODULE LENGTH, 46"

Line	Item #	Qty	Item Description/Comments
289	74930710	1	PANEL FINISH, BRUSHED STS 14 GAUGE (PRG)
290	74931055	1	COLOR CODING (PRG)
291		1	**ENG Color Coding Standard = Yes.
292	74931295	1	PUMP MODULE FRAMEWORK, PAINTED
293		1	**ENG Painted Framework = Match Truck Color.
294	74931390	1	PUMP FINISH, PAINTED BY PUMP MFG
295	74931590	1	PLUMBING FINISH, NON-PAINTED
296	74931695	1	EXTERIOR DUNNAGE AREA PANEL, SMOOTH METAL PAINTED
297	74931791	1	PUMP MODULE DOORS, ROM ROLL-UP, PAINTED
298	75088888	1	SPECIAL ITEM, EXTEND PUMP MODULE HEIGHT, FLUSH WITH CAB
299		1	**REV-A** **ENG Engineering to confirm if this can be done on a Program Module.
300	75590010	1	PUMP OPERATOR LIGHTS, LED (PRG)
301	75590110	1	PUMP PANEL LIGHTS OFFICER'S SIDE, LED (PRG)
302	76090002	1	PUMP PANEL GAUGES & CONTROLS (PRG)
303	60090030	1	PUMP PRIMER, TRIDENT, AIR
304	60028320	1	(2) PRIMER BUTTONS - MAIN & FRONT SUCTION
305	76025110	1	COMPRESSION FITTINGS ON AIR SYSTEM (PRG PUMP MODULE)
306	76031900	1	AIR HORN PUSH BUTTON SWITCH ON PUMP PANEL
307		1	**ENG Air Horn Push Button Location = Readily visible to pump operator.
308	84561010	1	**REV-A** CAMERA SYSTEM, FRC, INVIEW TRUEVIEW, SINGLE CAMERA (WIRED)
309		1	**REV-G** **CLAR NOTES, -Mount Camera on Officers' side of Dunnage facing curb side. -Monitor will mount on the Driver's side of the Pump Panel above the Foam Level Gauges. -See Reference Photo #07 on the Shared Drive.
310	76590000	1	GAUGES, MASTER, CLASS 1 4.5" (PRG)
311	77590000	1	GAUGE, WATER LEVEL, CLASS 1, INTELLI-TANK ITL-4
312	77532113	1	**REV-A** GAUGE, WATER LEVEL, WHELEN PSTANK2 LED (3)

Line	Item #	Qty	Item Description/Comments
313		1	**ENG Whelen Gauge Locations = Driver's side of Cab, behind Crew Door, high.
314		1	**ENG Whelen Gauge Locations = Officer's side of Cab, behind Crew Door, high.
315		1	**ENG Whelen Gauge Locations = Rear of Truck best location possible.
316	77590040	1	GAUGE, FOAM LEVEL, CLASS 1, INTELLI-TANK ITL-4
317		1	**ENG Class of Foam for Foam Gauge = Foam Class A.
318		1	**REV-A** **ENG Class A = 20 Gallon.
319	77590040	1	GAUGE, FOAM LEVEL, CLASS 1, INTELLI-TANK ITL-4
320		1	**ENG Class of Foam for Foam Gauge = Foam Class B.
321		1	**REV-A** **ENG Class B = 30 Gallon.
322	83525000	1	WATER TANK BRAND, UNSPECIFIED
323	83590005	1	WATER TANK, 1000 GAL, POLY
324	80190260	1	BODY S6 - ALUM 43/53 LAD CHUTE & DBL HATCH
325	80029900	1	BODY SUBFRAME, PUMPER/TANKER
326	80245125	1	OIL DRY HOPPER (IN UPPER HATCH COMPARTMENT)
327		1	**REV-A** **CLAR NOTES, -Oil Dry Hopper Location and Termination = Match HS-6226 Install. -Ran Behind false wall. -PVC Piping painted gray. -Terminate under Truck with Ball Valve. -See Reference Photo #04 & #06 on the Shared Drive.
328	81165705	1	UNISTRUT TRACK IN COMPTS
329	80290012	1	COMPT DOORS, ROM ROLL-UP, PAINTED
330	80225025	1	**REV-A** REAR COMPT DOOR (A1) ROM ROLL-UP, PAINTED
331	84531220	1	COMPT LIGHTING, FEDERAL SIGNAL COMPLEX LED LIGHT STRIPS, 2 PER COMPT
332	81390000	1	HOSEBED, REMOVABLE ALUM FLOORING
333		1	**CLAR NOTES, List the Hose Bed Hose Load Req. = 1000' of 5". 600' of 3". 200' of 2.5".
334	81410200	1	COVER, ALUMINUM 2 PC, MAIN HOSE BED
335	81431200	1	REAR HOSEBED COVER, VINYL

Line	Item #	Qty	Item Description/Comments
336		1	**ENG Hosebed Cover Color = Red.
337	81440201	1	COVER FASTENERS, BUNGIE CORDS WITH RED TAB
338	81330302	1	HOSE BED DIVIDERS, ADJ (2)
339	81331115	1	**REV-A** REMOVABLE SUPPORT BAR FOR REAR HOSEBED COVER
340	81910100	1	HANDRAILS, KNURLED STS
341	82290000	1	DELETE FRONT BODY STEPS
342	82390001	1	STEPS, REAR BODY (14x11 & 14x8)
343	82040100	1	REAR ACCESS LADDER, STAINLESS STEEL
344		1	**ENG State Ladder Location = Rear of Body, Driver's side.
345	82510000	1	RUB RAILS, ANODIZED ALUM
346	83089500	1	ALUMINUM TREADPLATE (PRG2)
347	83030310	1	REAR STEP CORNERS, STRAIGHT
348	80290013	1	4 SCBA CYLINDER COMPTS (2 RIGHT, 2 LEFT)
349	88540200	1	SUCTION HOSE, (2) 10' SECT 6" KOCHER LIGHTWEIGHT
350		1	**ENG Suction Hose Location = Hard suction hose will be mounted in the Officer's side hatch compartments accessible from rear.
351	88540100	1	SUCTION HOSE COMPARTMENT
352	88550300	1	STRAINER NOT PROVIDED
353	89011500	1	ALCO-LITE PEL-24 24'2 SEC & PRL-14 14' ROOF & 10' FOLDING
354	89590003	1	GROUND LADDER STORAGE COMPARTMENT
355		1	**CLAR NOTES, -Main ladder storage compartment will hold (1) 24' 2-Sect. Ladder and (1) 14' Roof Ladder. -Main ladder storage compartment will have its own smooth metal door, hinged inboard, with (1) black push-button latch. -Secondary ladder storage compartment will be above the main ladder storage compartment and will house (3) standard head pike pole tubes and (1) 10' Folding Ladder. -The secondary ladder storage compartment will share a single smooth metal door - hinged on top, with (1) black push-button latch - with the hard suction hose storage compartment above. -Both Ladder storage / hard suction hose compartment doors will be covered in Chevrons. -Reference HS-6081 Jerome Twp, OH (S6) for ladder chute compartments doors. -See Reference Photo #03 on Shared drive.
356	80232100	1	2" RECEIVER, SIDES
357	80232110	1	2" RECEIVER, REAR

Line	Item #	Qty	Item Description/Comments
358	84511100	1	BODY ELECTRICAL DESCRIPTION
359	84520000	1	BACK UP ALARM, ECCO SA917
360	85010305	1	TAILLIGHTS, WHELEN 600 SERIES, LED STOP/TAIL/TURN/REVERSE, INDIVIDUALLY MOUNTED (PAIR)
361	85110100	1	ICC LIGHTS, LED
362	85510200	1	STEP LIGHTS, LED, WHELEN 2G AT PUMP PANEL & REAR BODY
363	85710010	1	UNDERCARRIAGE GROUND LIGHTS, LED
364	86528999	1	DELETE REAR WORK LIGHTS
365	86600000	1	OPTICAL WARNING SYSTEM, UPPER
366	86610120	1	UPPER WARNING LIGHTS, ZONE A (FRONT), WHELEN FREEDOM IV 72" LED LIGHT BAR, F4N7QLED, 12 MODULES
367		1	**ENG Zone A, Upper Lightbar Color / Details = (10) Red LEDs. (2) Clear LEDs. Clear Lenses.
368	86699998	1	UPPER WARNING LIGHTS, ZONE B (OFFICER'S SIDE), COVERED BY ZONES A & C (Surface Mount)
369	86710305	1	UPPER WARNING LIGHTS, ZONE C (REAR), WHELEN LED, M9 SERIES SURFACE MOUNT, M9* (QTY 4)
370		1	**ENG Zone C, Upper Rear Beacon Color/Details = Red LED's / Clear Lenses.
371	86899998	1	UPPER WARNING LIGHTS, ZONE D (DRIVER'S SIDE), COVERED BY ZONES A & C (Surface Mount)
372	87100000	1	OPTICAL WARNING SYSTEM, LOWER
373	87110110	1	LOWER WARNING LIGHTS, ZONE A (FRONT), WHELEN 600 SUPER LED, 60*02F*R (QTY 4)
374		1	**ENG Zone A, Lower Warning Light Color, Lens Color, Details = Red LED's / Red Lenses.
375	87811130	1	LOWER, ZONE A - MOUNTING LOCATION (DUAL HOUSINGS)
376		1	**ENG Zone A, Lower - Front, Mounting Location = (2) Warnings in top Headlight Housing, each side.
377	87210100	1	LOWER WARNING LIGHTS, ZONE B (OFFICER'S SIDE), WHELEN 600 SUPER LED, 60*02F*R (QTY 2), ION T-SERIES LED, TLI* (QTY 1)
378		1	**ENG Zone B, Lower Officer's Side Warning Light Color, Lens Color, Details = Red LED's / Red Lenses.
379	87812110	1	LOWER, ZONE B - MOUNTING LOCATION (PUMPERS, TANKERS)
380		1	**ENG Zone B, Lower - Officer's Side, Mounting Location = -(1) Warning Light near the front corner of the Apparatus. -(1) Warning Light near the rear Axle. -(1) Warning Light near the rear corner of the Apparatus. -Reference Shop Order Drawing for lights and placement.
381	87310100	1	LOWER WARNING LIGHTS, ZONE C (REAR), WHELEN 600 SUPER LED, 60*02F*R (QTY 2)

Line	Item #	Qty	Item Description/Comments
382		1	**ENG Zone C, Lower Rear Warning Light Color, Lens Color, Details = Red LED's / Red Lenses.
383	87410100	1	LOWER WARNING LIGHTS, ZONE D (DRIVER'S SIDE), WHELEN 600 SUPER LED, 60*02F*R (QTY 2), ION T-SERIES TLI* (QTY 1)
384		1	**ENG Zone D, Lower Driver's Side Warning Light Color, Lens Color, Details = Red LED's / Red Lenses.
385	87814110	1	LOWER, ZONE D - MOUNTING LOCATION (PUMPERS, TANKERS)
386		1	**ENG Zone D, Lower - Driver's Side, Mounting Location = -(1) Warning Light near the front corner of the Apparatus. -(1) Warning Light near the rear Axle. -(1) Warning Light near the rear corner of the Apparatus. -Reference Shop Order Drawing for lights and placement.
387	87537732	1	ADDITIONAL WARNING LIGHTS, WHELEN 600 SUPER LED, 60*02F*R (PAIR) (1)
388		1	**CLAR NOTES, -Whelen 600 LED Warning Light Color = Red. -Whelen 600 LED Lens Color = Red. -Whelen 600 LED Mounting Location = (1) Each side of the Rear of the Body half way up on both sides.
389	87537744	2	ADDITIONAL WARNING LIGHTS, WHELEN M9 SERIES LED, M9* (PAIR) (2)
390		1	**CLAR NOTES, -Whelen M9 LED Warning Light Color = Red. -Whelen M9 LED Lens Color = Clear. -M9 LED Mounting Location = -(1) Each side of the Cab Extension above the Water Level Gauges. -(1) Each side of the Front of the Body in the Corners. -Reference Shop Order drawing for placement.
391	87537505	1	WARNING LIGHT, ROTO-RAY, LED
392		1	**ENG Roto Ray Light Colors = Red LED/ Clear Lens.
393	87040000	1	TRAFFIC ADVISOR, WHELEN LED, TAL65 36"
394		1	**ENG Traffic Advisor Head Mounting Location = Overhead Console Position 6.
395	87588888	1	SPECIAL ITEM, BALDWIN-SOURS GPS OPTICOM MOUNTED IN LIGHT BAR
396		1	**CALR NOTES, -A Baldwin and Sours GPS Opticom shall be provided and installed. It shall include the following: (1) Model 2100 vehicle high priority radio and GPS control unit with mounting brackets and hardware. (1) Model 1050 GPS radio antenna and 1072 cable assembly. (1) Model 210 vehicle interface cable. (1) Vehicle hardware installation kit -Wired to both the parking brake and master Emergency. -Reference HS-5927.
397	88391200	1	SCENE LIGHT, WHELEN PIONEER PFH2, 12V LED, BROW (1)
398		1	**CLAR NOTES, -Scene Light Details = White Housing and Mounting Bracket. -Light Switching = Switched in Cab, Overhead Console Position 1 and Lower Console Position 5, "Front Scene".
399	86537816	4	SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (PAIR) (4)
400		1	**REV-A** **CLAR NOTES, Light Mounting Location & Switching = (1) Each side, above middle Cab Windows.

Line	Item #	Qty	Item Description/Comments
			(1) Each side, front Coffin Compartment areas, rear of M9 warnings, high. (1) Each side, rear Coffin Compartment areas, front of M9 warnings, high. (1) Each side, rear of Body, high, inboard of M9 warnings. Switched in Cab, Overhead Console Position 1 and Lower Console Position 5, "Left Scene", "Right Scene", "Rear Scene". -M9's on Rear of body to be tied to Reverse.
401	88399940	4	ADDITIONAL SWITCH, 3-WAY FOR 12V LIGHTS (EA) (4)
402		1	**REV-A** **CLAR NOTES, -Location & Function for Additional 3-Way Switches 12V = These are for the (4) scene switches for the Officer in Lower Console Position 5: -Switch #4: Front Scene. -Switch #5: Rear Scene. -Switch #6: Left Scene. -Switch #7: Right Scene.
403	86588888	1	SPECIAL ITEM, WILL-BURT CHIEF NS2.3-500 WB
404		1	**REV-A** **CLAR NOTES, -Light Tower Control Location = L1. -Order Light in White. -Mounted above Water Tank in Body.
405	89910010	1	CORROSION REDUCTION PROGRAM (PROPOSALS)
406	90010020	1	PAINT SCHEME
407	90030004	1	PAINT, SINGLE TONE
408		1	**ENG Single Tone Paint Color = Red.
409	90030154	1	PAINT FRAME RAILS & BODY REAR DROP - BLACK
410	90030015	1	A/C CONDENSER PAINTED ROOF COLOR
411		1	**ENG Note Paint AC Condenser Color = Red.
412	90510000	1	3" LETTERING, 22K UP TO 40
413	90530005	100	ADDITIONAL 3" 22KT LETTERS (EACH) (100)
414	90530040	20	ADDITIONAL 10" 22KT LETTERS (EACH) (20)
415	90530360	1	MALTESE CROSS LAMINATED SCOTCHLITE (Pair)
416	90610200	1	6" SCOTCHLITE STRIPE AROUND TRUCK
417	90630501	1	ONE PIECE "Z" STRIPE (OVER 11-3/4")
418	90630150	3	2" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH (3)
419	90680120	1	CHEVRON STRIPING, REAR BODY OUTBOARD, REFLEXITE

Line	Item #	Qty	Item Description/Comments
420		1	**ENG Chevron Striping, Rear Body Color = #030 Red Transparent & #L2 Fluorescent Lime.
421	90670020	1	CHEVRON STRIPING, FRONT BUMPER, REFLEXITE
422		1	**ENG Chevron Striping, Front Bumper Color = #030 Red Transparent & #L2 Fluorescent Lime.
423	91010000	1	MISC EQUIP - (1) PINT TOUCH-UP PAINT, STAINLESS STEEL NUTS & BOLTS
424	91030700	1	ZIAMATIC SAC-44 FOLDING WHEEL CHOCKS (PAIR) MTD W/ SQCH-44H HOLDERS
425		1	**ENG Wheel Chock Mounting Locations = Under L1.
426	89050900	1	PIKE POLE/FOLDING LADDER COMPT, RIGHT SIDE
427	99010000	1	MANUALS (1-PRINTED & 1-USB) WITH DVD
428	99031105	1	PICK-UP UNIT AT FACTORY
429	99510000	1	WARRANTY, ONE YEAR
430	PDB000535	1	DEALER SUPPLIED - FIRE AND MARINE MOUNTING
431	PDB000089	1	DEALER SUPPLIED - TURTLE TILE
432	PDB00888	1	**REV-G** DEALER SUPPLIED - EMS CABINET, REAR FACING, BEHIND DRIVER
433	PDB00888	1	**REV-G** DEALER SUPPLIED - EMS CABINET, REAR FACING, BEHIND OFFICER
434	PDB00888	1	**REV-A** DEALER SUPPLIED - INTERIOR ACCESS, BLACK WEBBING
435	PDB00888	1	**REV-A** DEALER SUPPLIED - ADJUSTABLE SHELVES, EMS COMPT (2)
436	PDB00888	1	**REV-A** DEALER SUPPLIED - INTERIOR ACCESS, BLACK WEBBING
437	PDB00888	1	**REV-A** DEALER SUPPLIED - ADJUSTABLE SHELVES, EMS COMPT (2)
438	PD800888	1	**REV-G** DEALER SUPPLIED – AKRON BRASS 3444 MERCURY QUICK ATTACK LE MONITOR W/ MOUNTING BRACKET & 4446 GALLONAGE MONITOR
439	PD800888	3	**REV-G** DEALER SUPPLIED - STREAMLIGHT SL-44401 VULCAN HANDLIGHTS W/ TRUCK CHARGERS