



Ohio State Term

Dan Herb

Component Listing

**Munson Township Fire Dept - SP70**

Work Phone Number:  
Home Phone Number:  
Fax Number:  
Email:

Order #: 5-2018  
Customer #: OH44024  
Station Phone:

**Bill To**

**Customer:** Munson Township Fire Dept - SP70  
**Address:** OH

**Ship To**

**Customer:** Munson Township Fire Dept - SP70  
**Address:** OH

**Comments:** Project Engineer/SAE: Adam Fout  
Sales Person: Dan Herb  
Revision: 0.0

Line	Item #	Qty	Item Description/Comments
1	10000100	1	INTENT OF SPECIFICATIONS - CUSTOM APPARATUS
2	10040200	1	CHASSIS, SINGLE AXLE AERIALS
			<b>Clarification</b> Standard travel height: 10' - 0" Standard travel length: 40' - 3"
3	10040230	1	MODEL, SP70
4	25020100	1	FRAME, DOUBLE RAILS (AERIALS)
5	51010314	1	WHEELBASE 215"
			<b>Clarification</b> PA = 82" pump-to axle with Hale pump AF = 54" after-frame with standard bodies (60" axle to front of body)
6	20040110	1	STORAGE WELL, CENTER ONLY, FOR 18" BUMPER
7	20012210	1	BUMPER, 18" FORMED STEEL CHANNEL, PAINTED
8	20030100	1	TREADPLATE COVER FOR BUMPER EXTENSION TROUGH
			<b>Clarification</b> 2" rise with rubber latches
9	14020227	1	FRONT AXLE, MERITOR MFS-20-133A 23,000 LB.
10	41030100	1	SUSPENSION, ENHANCED SYSTEM
11	41010217	1	SUSPENSION FRONT 23,000# 54" LEAF
12	14520260	1	REAR AXLE, MERITOR RS-30-185 31,000 LB.
13	42010025	1	SUSPENSION REAR FIREMAAX 31,000# AIR RIDE
14	43030800	1	HUB COVERS, REAR, SINGLE AXLE, POLISHED STS
15	43020210	1	FRONT TIRES GOODYEAR 425/65R22.5 LRL G296 22.5 X 12.25 WHEELS
16	42910200	1	TIRE PRESSURE MONITOR, REAL WHEELS, LED
17	43030700	1	HUB COVERS, FRONT, POLISHED STS
18	44020330	1	REAR TIRES GOODYEAR 315/80R22.5 LRJ RHD2 MUD & SNOW WITH 22.5 X 9 WHEELS
19	44030100	1	MUD FLAPS FRONT AND REAR



Line	Item #	Qty	Item Description/Comments
20	44215000	1	WHEELS, STEEL  <i>Clarification</i> The front and rear wheels shall be steel. The wheels shall be painted truck color.
21	40010250	1	STEERING - ROSS TAS-85
22	22010000	1	DRIVE LINE, SPICER, 1710 SERIES
23	18010041	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
24	18110000	1	WABCO 4 CHANNEL ANTI-LOCK BRAKES
25	18220500	1	DELETE ELEC STABILITY CONTROL SYSTEM
26	16010009	1	BRAKES MERITOR SCAM 6" FRT 7" REAR
27	23030006	1	AIR INTAKE/EMBER SEPARATOR
28	61510000	1	AUXILIARY COOLER (HEAT EXCHANGER)
29	23110000	1	JACOBS ENGINE BRAKE
30	23013340	1	CUMMINS ISL 9 450HP DOC-DPF-DEF-SCR OBD
31	13010205	1	ALTERNATOR, LEECE NEVILLE 320 AMP
32	47012420	1	TRANSMISSION ALLISON GEN IV EVS3000
33	47024050	1	TRANSMISSION COOLER
34	47025000	1	TRANSMISSION FLUID, CASTROL TRANSYND
35	47030000	1	ALLISON TOUCH PAD SHIFTER  <i>Clarification</i> 6 gears automatic, mode button activates generator. Change rear end to stay at 60mph
36	21030200	1	RADIATOR COOLANT RECOVERY, PRESSURIZED SYST
37	21021200	1	COOLING SYSTEM
38	26010010	1	FUEL TANK, STAINLESS STEEL, 65 GAL
39	26030100	1	FUEL COOLER
40	24040000	1	DIESEL EXHAUST FLUID TANK
41	11024210	1	CAB TSAL4SA 56" 10" RR 1/2
42	11031670	1	DELETE CONSOLE ON ENGINE HOOD
43	11031512	1	COMPUTER TRAY IN LIEU OF GLOVE BOX
44	11031445	1	TWO FIXED WINDOWS IN BACK WALL OF CAB APPROX 11.25" X 5.25" OVAL  <i>Clarification</i> Mounted horizontally above the slant on the raised roof portion of the cab.
45	11028888	1	CAB DOOR WINDOWS, MANUAL
46	11031350	1	CAB DOORS, FULL LENGTH
47	11031100	1	MANUAL BACK-UP TILT SYSTEM
48	11030025	1	CAB CERTIFICATION - STRUCTURAL INTEGRITY
49	11040000	1	CAB ACCESSORY FUSE PANEL
50	11031825	1	EMS CABINET, FORWARD FACING, DOUBLE ON CREW SEAT RISER
51	11032955	1	REFLEC MATERIAL, RED CHEVRONS
52	11032929	1	DOOR PANEL, FULL INTERIOR, STS
53	31028888	1	INTERIOR, GRAY MULTISPEC W/GRAY DURAWEAR
54	38410000	1	SEAT BELT WARNING SYSTEM, AKRON / WELDON
55	38510105	1	DRIVER'S SEAT, BOSTROM SIERRA FX HIGH BACK AIR RIDE (DURAWEAR)



Line	Item #	Qty	Item Description/Comments
			<i>Clarification</i> Grey Seats
56	39088888	1	OFFICER SEAT COMPT, FRONT DOOR
			<i>Clarification</i> Hinged multispec coated door.
57	39010120	1	OFFICER'S SEAT, BOSTROM TANKER 450 ABTS SCBA (DURAWEAR)
58	39610000	3	SCBA BRACKETS, BOSTROM, SECURE ALL - EACH
59	39710000	1	CREW SEAT COMPT, SIDE DOORS
60	39528888	1	CREW CAB SEATING, (2) BOSTROM TANKER 450 ABTS (DURAWEAR)
61	38320000	6	HELMETS STORED IN A COMPARTMENT - EACH
62	22528888	1	ENGINE ENCLOSURE - GREY SCORPION
63	22610000	1	ENGINE HOOD LIGHT, HALOGEN (1)
64	38010015	1	MIRRORS LANG MEKRA 300 SERIES REMOTE
65	27030007	1	HANDRAILS, REAR CAB INTERIOR DOOR WINDOW KNURLED STAINLESS STEEL (PAIR)
66	27030600	1	COAT HOOKS FOR GRAB HANDLES - EACH
67	27022000	1	HANDRAILS, CAB, KNURLED STAINLESS STEEL
68	28030500	1	DEFROSTER DUCTWORK, ENTIRE WINDSHIELD
69	28010720	1	DEFROSTER, HEATER & A/C
			<i>Clarification</i> Includes heat-to-feet
70	52010010	1	SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS
71	45010001	1	FRONT TOW EYES
72	12030350	1	LANYARD CONTROL FOR AIR HORNS
73	12010015	1	DUAL AIR HORNS WIRED TO HORN BUTTON & PUSH BUTTON ON OFFICER'S SIDE
74	48010300	1	WHELEN 400 SERIES LED FRONT TURN SIGNALS
75	29910000	1	LOAD MANAGER, CLASS-1
76	30010125	1	INSTRUMENTATION, BEEDE GAUGES W/ CENTER & OVERHEAD CONSOLES



Line	Item #	Qty	Item Description/Comments
			<b>Clarification</b> OVERHEAD: Position #1 above driver: Master Emergency, Front Scene, Left Scene, Right Scene, Rear Scene, Turntable Lights, 4 blank plugs Position #2 above the driver: Rear View Camera Monitor Position #3 above driver: A/C controls Position #4 center: Warning indicators/seat belt monitor Position #5 above officer: Blank Position #6 above officer: Blank Position #7 above officer: Blank LOWER DASH: Position MA: Mirror Controls Position #1 driver: Trans. shifter, Pump Shift, Position #2 driver: Jake Brake On/Off, Jake Brake High/Med/Low, Horn Selector Switch (City/Q2B/Air Horns), High Idle, Aerial PTO, Siren Brake, 2 blank plugs Position #3 center: Whelen 295HFS2 siren head mounted as low as possible so customer can install radio. Radio cutout not provided, parking brake knob, (2) 12v Sockets, Position #4 officer: Blank Position #5 officer: Master Emergency, Air Horns, Q2B, Q2B Siren Brake, 2 Blank Plugs
77	30010700	1	CAB PUMP SHIFT
78	30031100	1	HIGH IDLE SWITCH
79	30031775	2	POWER POINTS, (2) 12-VOLT SOCKET
80	30110000	1	VEHICLE DATA RECORDER, AKRON/WELDON
81	15031700	1	BATTERY JUMPER TERMINALS
82	15010500	1	BATTERIES, TYPE 31 MHD (4)
83	15031410	1	KUSSMAUL 1200 W/ AUTO EJECT
			<b>Clarification</b> Red Cover Standard Location - Cab exterior, driver side, under crew seat window. Hilliard to Install Battery Charge Indicator Standard Location - Behind the driver side fixed crew window
84	15030530	1	SHORE POWER WITH TWO 110 V OUTLETS
			<b>Clarification</b> (1) duplex outlet mounted in the EMS cabinet above the top shelf on the back wall. Household 20amp.
85	32528888	1	SPECIAL ITEM - GUARDIAN GRILL AND HEADLIGHTS
			<b>Clarification</b> Match HS-5572
86	34010030	1	INTERIOR CREW LIGHTS (2) RED/CLEAR LED
87	33510030	1	INTERIOR CAB LIGHTS, (2) RED/CLEAR LED
88	33010000	1	SPOTLIGHTS, HAND-HELD, OPTRONICS KB-4003 MOUNTED ON BREAKER COVER



Line	Item #	Qty	Item Description/Comments
89	54010000	1	MISCELLANEOUS ITEMS ON CHASSIS
90	84550110	1	LICENSE PLATE BRACKET, MOUNTING & LIGHT, LED
91	84510100	1	ELECTRICAL DESCRIPTION
92	84560225	1	CAMERA SYSTEM, SAFETY VISION SV-CLCD-64
			<b>Clarification</b> The system shall consist of one (1) cab mounted model SV-LCD68 6.8" LCD monitor. Flush mount on upper console panel 2.  One (1) model SV-620 (Color) high resolution 1/3 CCD camera mounted below the driver side taillight houseing.  One (1) SV-LCDCB Control Box, and one (1) SV-523 65' camera cable.  The kit is capable of having two (2) additional cameras installed for a total of three (3).
93	84530910	1	COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT
94	84520000	1	BACKUP ALARM, ECCO SA917
95	85010300	1	TAIL/TURN/WARNING, WHELEN 600, LED, QUAD W/HALOGEN BACKUP LIGHTS
96	85110100	1	ICC LIGHTS, LED
97	85510110	1	STEP LIGHTS, LED - WHELEN 2G
98	85710020	1	UNDERCARRIAGE GROUND LIGHTS, LED
99	86537816	3	SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (PAIR)
			<b>Clarification</b> (1) Pair located on the raised roof of the cab over the crew windows, 1 each side. Switched in the cab "Left Scene" & "Right Scene"  (1) Pair located on the back of the cab, below the slant, one on each side. Switched in the cab "Turntable Lights"  (1) Pair on the back of the body, one each side, switched in the cab "Rear Scene"
100	86588888	1	DELETE REAR WORK LIGHTS
101	87028888	1	WARNING LIGHTS, UPPER, WHELEN, LED JUSTICE 62"
			<b>Clarification</b> Zone A (front) - One (1) Whelen Model JE0NFPA/S Justice 62" light bar. All clear lenses. Zone B (right side) - Covered by the module from the light bar and the right rear stanchion beacon. Zone C (rear) - Two (2) Whelen Model L31HRFN beacons, red, mounted on rear stanchions.  Zone D (left side) - Covered by the module from the light bar and the left rear stanchion beacon.
102	87520371	1	WARNING LIGHTS, LOWER, WHELEN 600 SUPER LED



Line	Item #	Qty	Item Description/Comments
			<b>Clarification</b> Zone A (front) - Two (2) Whelen 600 Series Super LED, red lights mounted in the front of each headlight housing. The inboard pair of lights is in addition to the minimum NFPA warning system and shall be wired through a load-shedding device.  Zone B (officers side) - Four (4) Whelen 600 Series Super LED, red lights mounted one on the side of the headlight housing, one at the middle of the apparatus, one on the body side at rear of apparatus, and one on the side of the aerial device.  Zone C (rear) - Two (2) Whelen 600 Series Super LED, red lights mounted one each side of the rear of the apparatus.  Zone D (driver side) - Four (4) Whelen 600 Series Super LED, red lights mounted one on the end of the headlight housing, one at the middle of the apparatus, one on the body side at rear of apparatus and one on the side of the aerial device.
103	88017311	1	SIREN, WHELEN 295 SLSA1
			<b>Clarification</b> Control head mounted in lower console panel 3 as low as possible.
104	88037135	1	SIREN, Q2B, FLUSH GRILLE MOUNT WIRED TO HORN BUTTON
			<b>Clarification</b> Activated by the horn button, rocker switch on the driver side and rocker switch on the officer side. Siren brake switches on both sides.
105	88110010	1	SIREN SPEAKER, CAST PROD SA4201-5-A (1)
			<b>Clarification</b> Mounted in grille
106	88230607	1	GENERATOR, HARRISON, 8KW HYD MT
107	88288888	1	CIRCUIT BREAKER PANEL WITH 12 SPACES FOR BREAKERS
108	88250100	1	120 VOLT OUTLET W/WEATHERPROOF COVER - EACH
			<b>Clarification</b> (1) generator powered outlet behind the driver seat. Household 20amp.
109	88432000	1	FOUR-WAY RECEPTACLE BOX WIRED TO REEL CABLE
			<b>Clarification</b> All Household 20 amp
110	88431000	1	HANNAY ECR-1614-17-18 REEL WITH 200' 12/3 WITH C TYPE ROLLER AND BALL STOP
			<b>Clarification</b> Mounted below generator



Line	Item #	Qty	Item Description/Comments
111	88388888	1	LIGHT, FR SPECTRA, LED, BROW 20K LUMENS, 12V
112	88388888	3	LIGHT, FR SPECTRA, LED, FIXED, 20K LUMENS, 240V
			<b>Clarification</b> (1) located on the driver side body toward the rear and (1) located on the officer side body toward the rear. Switched at the lamp head. (1) located under the platform, mount on the lower frame, switched at the lamphead.
113	88388888	1	LIGHT, FR SPECTRA, LED, TELE, 20K LUMENS, 240V
			<b>Clarification</b> Located in the platform, officer side. Switched at the lamp head.
114	60088888	1	WATERWAY VALVE, 6" TRIDENT HANDWHEEL
115	60031005	1	ALLOY ANODES, HALE
116	61010405	1	ENGINE PRESSURE GOVERNOR, CLASS1 TPGJ1939
117	60088888	1	CLASS 1 FLOWMINDER SUPER SYSTEM
118	60012305	1	QMAX-1500 GPM 6" SUCTION SINGLE STAGE PUMP
119	60028050	1	PUMP PRIMER, TRIDENT, AIR
120	60028888	1	THIRD PARTY TESTING, MISTRAS
			<b>Clarification</b> Notify the chief when pump testing will occur. He would like to send somebody to witness the test.
121	60035999	1	THREADS, NST
122	61210050	1	INTAKE PRESSURE CONTROL, HALE, STS
			<b>Clarification</b> INTAKE PRESSURE: 150 PSI
123	62010003	1	STAINLESS STEEL PIPING FOR AERIALS
124	63010000	1	6" INLETS
125	63030300	1	HALE MASTER INTAKE VALVE, MANUAL CONTROL
			<b>Clarification</b> Driver Side
126	61710305	1	AKRON HEAVY DUTY VALVES
127	65030000	1	2.5" LEFT SIDE INLET
128	83520425	1	MINI TOWER 500 GALLON POLY BOOSTER TANK FOR RESCUE STYLE ONLY
129	66010010	1	3" TANK TO PUMP WITH CHECK VALVE
130	73010100	1	TANK FILL 1.5" - AKRON VALVE
131	70010000	1	OUTLETS
132	70530000	2	2.5" LEFT SIDE DISCHARGES
133	71030300	1	3" DISCHARGE RIGHT SIDE
134	71030000	1	2.5" RIGHT SIDE DISCHARGES
135	71588888	1	DISCHARGE 2.5" VALVE 2.5" PIPE TO HIGH SIDE, FRONT
136	72910000	1	COVER, VINYL, TWO CROSSLAYS



Line	Item #	Qty	Item Description/Comments
			<b>Clarification</b> Black Cover Awning rail rear, snaps in front, shock cords on side flaps
137	72810000	1	TWO CROSSLAYS 2" VALVE-PIPING 1.5" SWIVEL
138	72230000	1	DISCHARGE 1.5" FRONT BUMPER, 2" PLUMBING
			<b>Clarification</b> Terminate in swivel on top of bumper, officer side.
139	75010050	1	PMP PANEL, SM 53" BLK VINYL 6 DISCH HANDLES STAINLESS STEEL PUMPERS AND MINI-TOWERS
			<b>Clarification</b> **Note: There are some special order items on this list.  #1 Discharge - Burgandy #2 Discharge - White #3 LDH Discharge - Navy Blue #4 Discharge - Grey #1 Pre-Connect - Yellow #2 Pre-Connect - Red Front Bumper Line - Orange Left Hose Bed Pre-Connect - Green Waterway - Purple Inlets - Silver Tank fill - Lime Green Tank to Pump - Turquoise
140	75510200	1	PUMP PANEL LIGHTS, LED
141	76010105	1	PUMP PANEL GAUGES & CONTROLS
142	77510055	1	GAUGE, WATER LEVEL, INNOVATIVE CONTROLS AERIAL
143	76510050	1	GAUGES, MASTER, NOSHOK, 4" LIQUID FILLED
144	77021000	1	GAUGES, DISCH, NOSHOK 2.5"
145	80030001	1	STAINLESS STEEL SUBFRAME FOR BODY
146	83010100	1	ALUMINUM TREADPLATE ON AERIALS
147	80126010	1	BODY MT1, LEFT HIGH / RIGHT LOW
148	80288888	1	L1 DOOR SUICIDE HINGE
149	80250100	10	TURTLE TILE ON COMPARTMENT FLOOR, SHELF, TRAY OR DRAWER (EACH)
			<b>Clarification</b> Black
150	80220300	1	COMPT DOORS, HINGED
			<b>Clarification</b> A1 door to be satin roll-up
151	80231225	1	SCBA CYLINDERS 6
152	81165705	1	UNISTRUT TRACK IN COMPTS





Line	Item #	Qty	Item Description/Comments
153	81150200	1	250# SLIDE-MASTER SLIDE OUT/TILT DOWN DRAWER  <i>Clarification</i> L2
154	81130200	6	ADJUSTABLE SHELF - EACH  <i>Clarification</i> Locations TBD
155	82013300	1	STEPS, 70, 75 & 100
156	81910300	1	HANDRAILS, KNURLED STS, 70, 75, & 100
157	82520000	1	RUB RAILS FOR SUTPHEN TOWERS TRUCKS
158	81410000	1	COVER, VINYL, MAIN HOSE BED  <i>Clarification</i> Black cover with shock cords.
159	81320300	1	MINI TOWER HOSE BED
160	81488888	1	LUMA BAR IN HOSEBED
161	81388888	1	HIGH SIDE FULL WIDTH HOSE BED  <i>Clarification</i> Black Cover Awning rail outboard with shock cords inboard
162	81488888	1	LED HOSE BED LIGHT, LUMA BAR  <i>Clarification</i> 40" LED light strip, switched with step lights.
163	81330310	1	HOSE BED DIVIDER, ADJUSTABLE - EACH  <i>Clarification</i> Officer side for a single stack of 1.75" hose
164	46010000	1	REAR TOW EYES STANDARD (PAIR)
165	90010050	1	STAINLESS PAINT SCHEME - STS PPRS & MINITOWER
166	89910000	1	CORROSION REDUCTION PROGRAM (SPECS)
167	90030005	1	TWO TONE CAB TO BOTTOM OF WINDSHIELD
168	90030031	1	PAINT, TURNTABLE, SIDE PLATES & LIFT CYLINDER SILVER
169	90030159	1	PAINT FRAME RAILS, FUEL BEAM, BODY SUBFRAME & LOWER AERIAL COMPONENTS - BLACK
170	90720100	1	6" LETTERING FOR BOOM SIGN
171	90710200	1	BOOM SIGN, 70' PLATFORMS
172	90510000	1	3" LETTERING



Line	Item #	Qty	Item Description/Comments
			<b>Clarification</b> Match striping from HS5572. Visionary Signs will have the graphics proof.
173	90530220	6	ADDITIONAL 6" SCOTCHLITE LETTERS (EACH)
174	90530240	12	ADDITIONAL 10" SCOTCHLITE LETTERS (EACH)
175	90530360	1	MALTESE CROSS LAMINATED SCOTCHLITE-PAIR
			<b>Clarification</b> Will need artwork or files from customer
176	90660200	1	CHEVRON STRIPING, REAR BODY, OUTBOARD & REAR PLATFORM DOOR(S)
			<b>Clarification</b> Reflexite, Flourescent Lime
177	90610000	1	4" SCOTCHLITE STRIPE
			<b>Clarification</b> Stripe the chief's truck to match during the final inspection.
178	90630110	1	1" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH
179	95040400	1	DOUBLE LIFTING EYES - STD ON PLATFORMS
180	95010400	1	AERIAL PLATFORM, SP70
181	95025110	1	EXTENSION & RETRACTION FOR 4-SECTION AERIALS
182	95025200	1	LIFTING CYLINDERS
183	95015100	1	TURNTABLE/ROTATION
184	95015200	1	HYDRAULIC SYSTEM
185	95015300	1	EMERGENCY AUXILIARY HYDRAULIC MOTOR
186	95015400	1	INTERLOCK
187	95022100	1	JACKS - SCISSORS JACKS
188	95034105	1	AKRON 9315 WATERWAY FLOWMETER
189	95040100	1	PLATFORM - SP70
190	95040200	1	PLATFORM LEVELING SYSTEM
191	95075001	1	110 VOLT UP LADDER - STD ON SP70
			<b>Clarification</b> Household 20 amp
192	95065100	1	BREATHING AIR TO 70' PLATFORM
193	95028888	1	AERIAL SPOT LIGHTS - (4) RIGID D2 LED SPOT
			<b>Clarification</b> (2) White Dually LED Spots on the base section of the boom. (2) Blue lights (model TBD by engineering) mounted inside the box boom. 1 at the base pointing up the aerial and 1 at the tip pointing down the aerial. Consult engineering for exact locations. Standard switching.
194	95028888	1	FRC ACT DIGITAL 2-WAY INTERCOM
195	95028888	1	MONITORS, ELKHART (1) VULCAN & (1) COBRA EXM W/NOZZLES AND STREAM SHAPERS



Line	Item #	Qty	Item Description/Comments
			<b>Clarification</b> Officer Side: (1) Vulcan 8500 Manual Monitor  Driver Side: (1) Cobra 7200 EXM Monitor
196	95050200	1	PLATFORM SPOT LIGHTS - (1) UNITY AG-C
197	95025010	1	BOOM ASSEMBLY/4-SECTION LADDER CONSTRUCTION
198	95040300	1	PLATFORM BEDLOCK
199	95025305	1	CONTROL STATION - SP70
200	95025350	1	CAPACITY RATINGS - SP70
201	95033200	1	WATERWAY - SP70 & SA75
202	95025500	1	OPERATIONAL TEST - SP70
203	95025400	1	DATA PLAQUES - SP70
204	89028888	1	CUSTOMER SUPPLIED GROUND LADDERS
			<b>Clarification</b> Ladders will be provided by the customer and delivered prior to body construction with all up-to-date testing certifications.
205	89088888	1	5 HORIZONTAL PIKE POLE TUBES ON THE DRIVER SIDE
206	89510001	1	LADDER MOUNTING, POLISHED ALUM BRACKETS
			<b>Clarification</b> Mount customer supplied ladders.
207	91030700	1	ZIAMATIC SAC-44 FOLDING WHEEL CHOCK MOUNTED W/ SQCH-44H HOLDERS, PER PAIR.
			<b>Clarification</b> Standard Location, Below L3
208	91020200	1	MISC TOWER EQUIPMENT
209	99010000	1	MANUALS (1-PRINTED & 1-CD) WITH DVD
210	99510005	1	ONE YEAR WARRANTY
			<b>Clarification</b> The following warranties shall be supplied:  1. The apparatus shall be warranted to be free from mechanical defects in workmanship for a period of one (1) year. The apparatus shall be covered for parts and labor costs associated with repairs for a period one (1) year. 2. Life-time warranty on the frame. 3. Seven (7) year warranty on paint. 4. Ten (10) body structural warranty 5. Ten (10) year cab structural warranty 6. Two (2) year aerial mechanical warranty 7. Twenty (20) year aerial structural warranty 8. Manufacturers Warranties for all major components.