

Address:

Sutphen Andy Herb

Component Listing

Wabash Fire Dept. HS-4671

Work Phone Number: 260-563-3521 Order #: 20-857 Home Phone Number: Customer #: IN46992 Fax Number: Station Phone: 260-563-1167

Email: dweaver@wabashfire.com

Bill To Ship To

Wabash Fire Dept. HS-4671 Customer: Wabash Fire Dept. Customer: Contact: Dean Weaver Contact: Dean Weaver

Chief

1000 N. Wabash St. Address: 1000 N. Wabash St. Wabash, IN 46992

Wabash, IN 46992

Comments: Engineer: Clark Green

Chief

REVISION: C

Committe Head/Captain

Dennis Siders

dsiders@wabashfire.com

Line	Item#	Qty	Item Description/Comments	
1	10010005	1	-	
			Clarification	
			NOTE: This chassis must have a Cinci cab.	
2	25090001	1	FRAME, DOUBLE RAILS	
3	51028888	1		
			Clarification	
			PTA: 92"	
			AFT: 54"	
4	20090001	1	L PERFORATED BUMPER 24"	
	20090002	1		
			Clarification	
			2" raised lid	
			Talood ha	
	44000005	4	CHOOK ADOODDEDO EDONT OADDIEL	
7	14090005 14090001		SHOCK ABSORBERS, FRONT, GABRIEL FRONT AXLE, MERITOR MFS-18-133A 18,000 LB.	
'	14090001	I		
			Clarification	
			w/disc brakes	
8	41028888	1	SUSPENSION, FRONT, 18,000 LB.	
9	14590001	1	REAR AXLE, MERITOR RS-26-185 27,000 LB.	

Created: 02/25/09 @ 11:43 AM Last updated: 07/24/09 @ 11:01 AM Printed: 07/24/09 @ 11:07 AM Order#: 20-857 Page: 1



Component Listing

Line	Item#	Qty	Item Description/Comments
			w/disc brakes
			Top Speed: 65mph
10	42090001	1	SUSPENSION REAR 27,000# RATING
	12000001		Clarification —
			leaf springs
 			
	43090005		FRONT MUD FLAPS (PAIR)
	43090002		CHROME LUG NUT CAPS, FRONT & REAR
13	43028888		FRONT TIRES, MICHELIN, 315/80R22.5 XYA 2 TREAD
14	44090004	1	REAR MUD FLAPS (PAIR)
	44090007	1	
			Clarification ———
			Front wheels: 22.5 x 9.0
			Rear wheels: 22.5 x 8.25
40	4.4000000		LULID COL/EDO EDONT A DEAD DOLLOUED CTO
	44090008		HUB COVERS, FRONT & REAR, POLISHED STS
17	44028888	1	REAR TIRES, MICHELIN, 12R22.5 XDY 3 MUD & SNOW TREAD
18	40090000	1	STEERING, ROSS TAS-85
	22090000	1	
	18190000		WABCO 4 CHANNEL ANTI-LOCK BRAKES
	18090002	1	AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER
22	18091120	1	AIR OUTLET CONNECTIONS
			Clarification ————————————————————————————————————
			REV A
			Install inside of driver's side top mount walkway compartment (back wall).
23	16090001	1	BRAKES, MERITOR, DISC PLUS EX225 FRONT & REAR
24	23028888	1	
25	23190000	1	JACOBS ENGINE BRAKE
	61510000	1	AUXILIARY COOLER (HEAT EXCHANGER)
	23090009	1	AIR INTAKE/EMBER SEPARATOR
28	13090000	1	ALTERNATOR, PRESTOLITE, 270 AMP
			Clarification ————————————————————————————————————
			REV A
29	47090005	1	ALLISON TOUCH PAD SHIFTER
	47090004		TRANSMISSION FLUID, CASTROL TRANSYND
	47090000	1	<u></u>



Component Listing

Line	Item#	Qty	Item Description/Comments
			W/hot shift PTO
32	21090005	1	RADIATOR COOLANT RECOVERY
	21090001		
			Clarification
			Standard cooling system for Shield/Ambassador chassis.
	26090000 11088888		FUEL TANK, 65 GALLON ALUMINUM MOUNTING PLATE, ENGINE COVER
33	11000000	'	Clarification ————————————————————————————————————
			REV A
			Plate to be DA'd 3/16" smooth aluminum. Mount on engine cover between driver and officer (spaced up 1/2" off engine cover).
36	11090009	1	INTERIOR DOOR PANELS, BRUSHED STS, ZOLATONE
			Clarification
			Upper panels to be zolatone, lower panels to be stainless.
37	11028888	1	CAB, CINCI, 62" TILT, 10" 1/2RR
			Clarification
			Note: must be a Cincinnati cab
			Forward facing crew seat riser to be deleted.
38	11088888	1	CAB ACCESSORY FUSE PANEL
39	11090020		MAP BOX (4-BINDER CAPACITY)
			Clarification ————————————————————————————————————
			REV A
			Mount on the aluminum mounting plate on engine cover between driver and officer (facing windshield).
	11088888	1	DEALER SUPPLIED - POWER CAB WINDOWS
41	11090016 11088888		FLAT WORK SURFACE IN LIEU OF GLOVE BOX ALUMINUM MOUNTING PLATE, BACK WALL OF CAB
72		·	ALCONING ON THE CITY ALL OF WALL OF WALL OF WALL



Component Listing

Line	Item#	Otv	Item Description/Comments
Lille	iteiii#	Qty	Clarification
			REV A
			Entire rear interior wall of cab to covered with 3/16" DA'd smooth aluminum for tool mounting. See
			photos of current apparatus for clarification.
13	11088888	1	WINDOWS, FIXED, BACK WALL OF CAB (PAIR)
	11088888	1	DIAMOND PLATE, REAR CAB WALL, EXTERIOR
	11000000		
			Clarification
			Standard with top mount pump module.
45	31090000	1	INTERIOR, GRAY VINYL
	38590001		DRIVER'S SEAT, BOSTROM FX HIGH BACK AIR RIDE
			(DURAWEAR)
47	39090000	1	OFFICER'S SEAT, BOSTROM TANKER 350 ABTS SCBA
			Clarification —
			w/SecureAll bracket
48	39528888	2	CREW SEATING, BOSTROM TANKER 350SCBA
			Clarification ————————————————————————————————————
			(2) rear-facing crew seats
			w/SecureAll brackets
			NOTE () ()
			NOTE: forward facing crew seats and crew seat riser deleted
49	39690001	3	SCBA BRACKETS, BOSTROM, SECURE ALL - EACH
50	22588888	1	ENGINE HOOD, DURAWEAR
51	38090003	1	MIRRORS, LANG MEKRA 300 SERIES REMOTE
	27088888	1	HANDRAILS, REAR CAB INTERIOR WINDOWS (PAIR)
	27090000	1	HANDRAILS
	28090004	1	SINGLE UNIT HEAT & A/C
	28090003	1	HEAT TO FEET
	52090000	1	SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS
	45090000	_	FRONT TOW HOOKS
	12090000	1	
	48090001		LED TURN SIGNALS, WHELEN 400 SERIES
	29990000		LOAD MANAGER, CLASS-1
	30090002	1	CAB PUMP SHIFT POWER POINT, 12V SOCKET
62	30088888		
			Clarification
			(1) each side of dash on angled portions of the switch panel
63	30090004	1	INSTRUMENTATION, MAXIMA TECH/DATCON GAUGES
	, , , , , , , , , , , , , , , , , , , ,		



Component Listing

Line	Item#	Qty	Item Description/Comments
64	15031700	1	BATTERY JUMPER TERMINALS
65	15090000		BATTERIES (4) 950 CCA INTERSTATE
66	15090002	1	KUSSMAUL AUTO CHARGE 1200 BATTERY CHGR 120V
			PUMP PLUS & 20AMP SUPER AUTO EJECT
			Clarification ————————————————————————————————————
			REV A
			Mount in standard location on driver's side of cab.
			Cover color: red
67	32590003	1	ALTERNATING FLASHER FOR HEADLIGHT
68	32590000	1	HI-LOW HALOGEN HEADLIGHTS, SNGL STS HOUSING
	34088888		CREW CAB LIGHTS, CLEAR W/SWITCHES
	33588888		CAB LIGHTS, RED W/SWITCHES
	34088888		CREW CAB LIGHTS, RED W/SWITCHES
	33588888		CAB LIGHTS, CLEAR W/SWITCHES
	33090000		SPOTLIGHT, HAND-HELD OPTRONICS KB-4003
'4	84560220	1	CAMERA SYSTEM, SAFETY VISION SV-LCD50-65-620
			Clarification
			System includes:
			(4) 0) (1 0 D 50 F D 0) (1 0 D 1
			(1) SV-LCD50 5" B&W LCD monitor (mounted from ceiling in front of driver), (1) SV-500 B/W camera (mounted on rear of body above A1 with diamond plate lip), and (1) SV-523 65' camera
			camera (mounted on real of body above A1 with diamond plate lip), and (1) 5V-525 65 camera cable.
			casic.
7.5	0.45.44700	0	INIOTALLATION OF QUICTOMEDO O WAY DADIO ANTENNA
/5	84541700	2	INSTALLATION OF CUSTOMERS 2-WAY RADIO ANTENNA
			Clarification
			NOTE: must be a thick mount base antenna.
			Terminate end of cables under officer's seat.
			Terminate end of cables under officer's seat.
76	84541550	1	POWER GROUND STUDS
			Clarification ————————————————————————————————————
			REV A
			Dravida navvar/arayand atyda yadar tha afficaria agat ta agaammadata (2) ayatamar inatallad radiagy
			Provide power/ground studs under the officer's seat to accommodate (2) customer installed radios:
			(1) 12v 40-amp on the battery switch (1st click)
			(1) 12v 40-amp ground
			NOTE: one radio has max amp draw of 14.5 amp and one has max draw of 3.2 amp (reference radio
			specs in build package).



Component Listing

Line	Item#	Qty	Item Description/Comments
77	04550400	1	
	84550100 84528888	•	LICENSE PLATE BRACKET AND MOUNTING COMPT LIGHTING, LED STRIPS, (1) PER COMPT.
	84520000	1	BACK UP ALARM, ECCO SA917
	85010300	1	TAIL/TURN/WARNING, WHELEN 600, LED, QUAD
00	03010300	'	W/HALOGEN BACKUP LIGHTS
81	85110100	1	ICC LIGHTS, LED
	85528888		STEP LIGHTS, LED
02	0002000		·
			Clarification ————————————————————————————————————
			KEVA
			(2) Whelen 2G 4" diameter LEDs at front of body near pump module (1 each side)
			(4) Weldon 2631 LEDs on rear of body (1 under each step)
			(4) Woldon 2001 EED3 on Tear of body (1 under each step)
83	85710010	1	UNDERCARRIAGE GROUND LIGHTS, LED
			Clarification —————
			REV A
0.4	00505000		LUMBER EN AAROA OZIL OOFNIELIOLITO (DAID)
84	86537890	3	WHELEN 810CAOZU SCENELIGHTS (PAIR)
			Clarification ————————————————————————————————————
			REV A
			Install (1) each side of cab above fixed windows.
			Install (2) each side of body above compartments on side metal.
			Dravida (1) Loft Coope quitab on cab doob to control all loft side limbte and (1) Digit Coope quitab on
			Provide (1) Left Scene switch on cab dash to control all left side lights and (1) Right Scene switch on cab dash to control all right side lights.
			Cab dash to control all right side lights.
85	86528888	1	DELETE 6" UNITY HOSEBED LIGHTS
			Clarification ————————————————————————————————————
			Deleted due to Whelen 508 scene lights at front of hosebed.
00	00507000		WHELEN FOR DEDIED OF OR DEODEE COENE LIQUED
86	86537900	1	WHELEN 508 SERIES 8-32 DEGREE SCENE LIGHTS
			(PAIR)
			Clarification
			REV A
			Mount at front of hosebed on front header facing rear of body.
			Install (1) switch on rear of body under the driver's side top step. Install a Hosebed Lights label near
			switch.
87	87010320	1	WARNING LIGHTS, UPPER, WHELEN, LED FREEDOM 8



Component Listing

Line	Item#	Qty	Item Description/Comments
			Clarification Freedom 8 lightbar with (6) red and (2) clear modules. Lightbar to have clear lenses.
			(2) red RB6 halogen beacons mounted on rear stanchions.
88	87588888	1	WARNING LIGHT HOUSINGS, STAINLESS
			Clarification ————————————————————————————————————
			(2) warning light housings on front of cab above headlight housings
89	87510370	1	WARNING LIGHTS, LOWER, WHELEN, LED
			Clarification ————————————————————————————————————
			REV A
			8) red 600 super LEDs:
			(2) on front of cab each side of grille below headlights, (1) each side of headlight housings, (1) each side of body in rear fenders, (1) each side on rear of body in bottom of taillight housings
			(2) red 500 LEDs: (1) each side of body under L3/R3 in rub rails
90	88028888	1	SIREN, CARSON SA-441
			Clarification ————————————————————————————————————
			REV A
			Control head to be recessed in sun visor panel area on driver's side. Amplifier to be mounted under officer's seat (leave sufficient room for customer's radios when installing amplifier).
91	88037200	1	SIREN, Q2B, FLUSH GRILLE MOUNT, 2 FOOT SWTCHS
			Clarification ————————————————————————————————————
			REV A
92	88116010	1	SIREN SPEAKERS, CAST PROD SA4201-5-A (2)
			Clarification
			REV A
	88231990		HYDRAULIC GENERATOR USED WITH EVS3000 TRANS
94	88250405	1	CIRCUIT BREAKER PANEL WITH 8 SPACES FOR BREAKERS
			Clarification ————————————————————————————————————
			Mount in L1 compt.



Component Listing

Line	Item#	Qty	Item Description/Comments
95	88250100	5	120 VOLT OUTLET W/WEATHERPROOF COVER - EACH Clarification
			NEMA: 5-20P household receptacles
			Mount (1) each side of body in fenders, (1) on driver's side front bumper skirt.
			Mount (1) each side on rear of body for tripods.
96	88230505	1	GENERATOR, ONAN, 8KW HYD
			Clarification
			Mount in dunnage area on officer's side.
97	88431000	1	HANNAY ECR-1614-17-18 REEL WITH 200' 12/3 WITH C TYPE ROLLER AND BALL STOP
			Clarification
			REV A
			Cord reel to be mounted from ceiling in pump module on officer's side. Provide cut-out in upper inspection door and mount rollers to door. Ensure location doesn't interfere with ladders before mounting.
			Cord to terminate with twist lock plug to attach to junction box.
98	88432000	1	FOUR-WAY RECEPTACLE BOX WIRED TO REEL CABLE
			Clarification
			REV A
			Box to have recessed twist lock receptacle for attaching to cord reel.
			All (4) outlets to be 5-20 household receptacles.
99	88432150	1	MOUNTING OF FOUR-WAY RECEPTACLE BOX ON COMPT WALL OR SHELF
			Clarification ————————————————————————————————————
			REV A
			Mount in R1 compt. on right side wall up high.
100	88390232	2	LIGHT, QTZ, FR FOCUS TELE 750W 120V W/SW



Component Listing

Item # Qty Item Description/Comments *REV A* Mount (1) each side on back wall of cab with heads below top of roof. Lights to be controlled from switches at each head and at breaker box.	line			
REV A Mount (1) each side on back wall of cab with heads below top of roof. Lights to be controlled from switches at each head and at breaker box. 101 88390242 2 LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW Clarification *REV A* Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.		Item#	Qty	Item Description/Comments
Mount (1) each side on back wall of cab with heads below top of roof. Lights to be controlled from switches at each head and at breaker box. LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW Clarification *REV A* Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				
Lights to be controlled from switches at each head and at breaker box. 2 LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW Clarification *REV A* Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				
101 88390242 2 LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW Clarification *REV A* Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				Mount (1) each side on back wall of cab with heads below top of roof.
101 88390242 2 LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW Clarification *REV A* Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				Lights to be controlled from switches at each head and at breaker box
REV A Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				
REV A Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.	101	88390242	2	LIGHT, QTZ, FR FOCUS TRIPOD 750W 120V W/SW
Mount (1) each side on back of body. Tripods to be taller 656 model. Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				
Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				*REV A*
Lights to be controlled from switches at each head and at breaker box. Each light to have a 5-20P house plug at end of coil cord.				Mount (1) each side on back of body. Tripods to be taller 656 model
house plug at end of coil cord.				inioditi (1) cacit side of back of body. Tilpods to be tallel 650 filodel.
102 92088888 4 STREAMLIGHT SURVIVOR, C4 LED				nouse plug at end of coil cord.
1 102 92000000 4 3 REAMILIGHT SURVIVOR, C4 LLD	102	0200000	4	STDEAMHOUT SHDV/IV/OD CALED
Clarification ————	102	92000000	4	
REV A				
Color: orange				Color: orange
Mount (2) in each rear corner on top of A/C mounting plate (2 Liteboxes between these lights).				Mount (2) in each rear corner on top of A/C mounting plate (2 Liteboxes between these lights).
103 92067100 4 STREAMLIGHT 45107 (FORMERLY SL-40XFS) WIRED	103	92067100	4	STREAMLIGHT 45107 (FORMERLY SL-40XFS) WIRED
Clarification				
REV A				*REV A^
Color: orange				Color: orange
Mount (2) on rear edge of A/C mounting plate (centered between the 2 pairs of Survivor lights).				Mount (2) on roar edge of A/C mounting plate (contared between the 2 pairs of Survivor lights)
Mount (1) each side on back wall of cab (accessable from the ground - reference photos of back				
wall mounting board before installation).				wall mounting board before installation).
104 60012300 1 QMAX-1500 GPM 6" SUCTION SINGLE STAGE PUMP				
105 61010405 1 ENGINE PRESSURE GOVERNOR, CLASS1 TPGJ1939 106 60028888 1 PUMP PRIMER, TRIDENT, AIR, (2) LOCATIONS			•	
Clarification ————————————————————————————————————				Clarification ————————————————————————————————————
REV B				*REV B*
The rear suction will be plumbed to the air primer as well as the main pump location.				The rear suction will be plumbed to the air primer as well as the main pump location
				The second secon
107 60031000 1 ZINC ANODES FOR HALE PUMP	107	60031000	1	ZINC ANODES FOR HALE PUMP
108 60035300 1 MECHANICAL PUMP SEAL	10/			



Component Listing

Line	Item#	Otv	Item Description/Comments
			·
109	60030350	1	,
			Clarification
			REV A
			Handle on driver's side pump panel.
			Haritule on univer's side pump paner.
	60035120		NATIONAL PUMP TEST
	60035999		THREADS, NST
	61210050	1	· · · ·
	62010002	1	STAINLESS STEEL PIPING FOR PUMPERS 6" INLETS
	63010000 63030400		
115	03030400	3	HALE MASTER INTAKE VALVE, ELECTRIC CONTROLLED WITH MANUAL OVERRIDE
			Clarification ————————————————————————————————————
			(1) on left side 6" inlet, (1) on right side 6" inlet, and (1) for 5" rear inlet
			All electric controls and bleeders to be installed on main operators panel.
	61710305		AKRON HEAVY DUTY VALVES
117	65688888	1	INLET, 5" RIGHT REAR, ELEC. CONTROL
			Clarification
			REV B
			Controlled size also this MIN / Townsin at a in CUNICT with lower bondled and
			Controlled via electric MIV. Terminate in 6"NST with long-handled cap.
			Rear suction to be plumbed to air primer.
			Treat suction to be planted to all printer.
118	65030000	1	2-1/2" LEFT SIDE INLET
			Clarification ————————————————————————————————————
			Valve will be controlled on side pump panel at discharge.
119	64030000	1	2-1/2" RIGHT SIDE INLET
			Clarification ————
			Valve will be controlled on side pump panel at discharge.
			valve will be controlled on side pump parter at discharge.
	83528888	1	650-GALLON POLY WATER TANK
	66010010	1	3" TANK TO PUMP WITH CHECK VALVE
	73010201		TANK FILL 2" - AKRON VALVE
	70530000 71030000		2.5" LEFT SIDE DISCHARGES 2.5" RIGHT SIDE DISCHARGES
	71050000	1	
'23	1 1000120	'	ANTON ELLO TRIO CONTINUELLI VILIOTTI EL COTT
\Box			



Component Listing

Line	Item#	Qty	Item Description/Comments
			Clarification
			REV A
			Almon 0242 controller for dealer in discharge
			Akron 9313 controller for deckgun discharge.
	71030300		3" DISCHARGE RIGHT SIDE
127	71930800	1	DISCHARGE 2-1/2" FRONT/LEFT OF MAIN HOSEBED
			Clarification
			REV A
			with 2-1/2" to 1-1/2" reducer.
			Will 2 1/2 to 1 1/2 Toddoor.
400	74000454	4	DIOCHAROS O A/ONVALVE OURIDE TO BIOLIT READ
128	71830151	1	DISCHARGE 2-1/2" VALVE 3" PIPE TO RIGHT REAR
			Clarification
			REV A
			Terminate with 2-1/2" threads.
120	7000000	4	DISCULARIOS 2.4/01 FRONT/RIGHT OF MAIN LIGGERER
129	72030800	1	DISCHARGE 2-1/2" FRONT/RIGHT OF MAIN HOSEBED
			REV A
			KEVA
			with 2-1/2" to 1-1/2" reducer.
130	72588888	1	TFT HURRICANE EXTEND-A-GUN/MONITOR PACKAGE
100	. 2000000		Clarification —
			REV B
			TFT Y3C-52 package includes:
			(4) 777 70 7 4 1 (1) (1) (1) (1)
			(1) TFT RC Extend-a-gun #XGA38VL-RL (1) TFT Hurricane RC monitor #XFIH-EL1A
			(1) TFT Humcarie No mornior #XLIII-EETA (1) TFT Master Stream nozzle #M-ERP1000-NJ
			(1) XGB-23 3" bracket for extend-a-gun
			(1) Y4E-CT-30 30' tethered control station
131	72530100	1	DISCHARGE DELUGE RISER 3"
'			Clarification —
			Deckgun flange to be flush with top of dunnage and extend 18" up via Extend-a-gun.
122	72820000	1	TWO SPEEDLAYS FOR TOP MT LIEU STD CROSSLAYS
132	72020000	ı	TWO SI ELDEATO FOR FOR INFLIEU STD GROSSLATS



Component Listing

	14 44	04	Itaria Danasintia (10 ammanta
Line	Item#	Qty	Item Description/Comments Clarification
			Each bed to hold 200' of 1-3/4" hose. Hose must be tripled stacked.
			Beds to be no less than 10-1/2"w.
			Deds to be no less than 10-1/2 w.
100	72840300	1	ONE 2-1/2" SPEEDLAY FOR TOP MOUNT
133	72040300	'	
			REV A
			Bed to be the bottom speedlay and hold 150' of 2-1/2" hose. Hose will be double stacked.
			Bed to be no less than 10-1/2"w.
134	72910310	1	COVER, VINYL, THREE SPEEDLAYS
			Clarification ————————————————————————————————————
			REV A
			Color: red
			Fasteners: shock cord at each corner of cover (do not screw to speedlay area)
135	72230000	1	DISCHARGE 1-1/2" FRONT BUMPER, 2" PLUMBING
			Clarification ————————————————————————————————————
			REV A
			Swivel to be mounted inside of storage well on officer's side.
136	84010010	1	BOOSTER REEL W/200' OF 1" HOSE,NOZZLE & MOUNT
			Clarification ————————————————————————————————————
			REV A
			NOTE: booster reel to be stainless steel.
			INOTE. DOOSTELLE TEEL TO DE STAILLIESS STEEL.
			Mount in dunnage area on driver's side with rollers on top of dunnage wall. Mount nozzle on side of
			dunnage area in diamond plate cup.
137	84088888	2	ADDITIONAL BOOSTER REEL ROLLERS



Component Listing

Line	Item#	Qty	Item Description/Comments
		. ,	Clarification
			REV A
			(2) Hannay FH-3 roller assemblies installed on top of dunnage area. One to be installed near the
			deckgun in the center of the dunnagea area. The other roller is to be installed on officer's side. These
			are in addition to the starndard one on the driver's side.
			See photos of current appartus for details.
			oss priotos di sarront appartas ioi astano.
138	84088888	1	BOOSTER REEL NOZZLE, TFT
			Clarification ————————————————————————————————————
			REV A
			TFT 1" Quadrafog nozzle (#DQS40)
			TTTT Quadratog nozzie (#DQ340)
			In place of the standard Akron 1701 nozzle.
139	61830100	2	ADAPTER 2 1/2"F X 1 1/2"M EACH
			Clarification ————————————————————————————————————
			REV A
			Install (1) on each hosebed preconnect.
			install (1) on each hosebed precention.
140	75088888	2	COMPARTMENT BELOW TOP MOUNT WALKWAY
140	73000000	۷	Clarification ————————————————————————————————————
			(1) each side
			Each light to have an LED light inside.
			Use smaller 8"x8" steps to access top mount walkway.
			and the disperse decease top meant maintain.
141	75010225	1	PMP PANEL, TM 47" STS & R/L STS 10 DSCH HANDL
'''	70010220	· l	Clarification ————————————————————————————————————
			REV A
			Match layout of current apparatus as closely as possible (see photos).
142	75088888	4	VALVE CONTROL HANDLES, TOP MOUNT, ADDITIONAL
			REV A
			INEV A
			(14) top mount control handles total



Component Listing

Line	Item#	Qty	Item Description/Comments
	75510000	1	
	7001000	•	Clarification —
			Main pump panel to have light bar hood with (4) halogen lights.
144	76010105	1	PUMP PANEL GAUGES & CONTROLS
			Clarification ————————————————————————————————————
			REV A
			Match pump panel layout and color of current apparatus. See customer photos.
			NOTE: install labels under gauges in addition to top of handles.
			Ensure valve rodding doesn't interfere with cord reel mounted inside pump module.
145	76030600	1	MC PUMP OVERHEAT W/ BUZZER ALARM
146	76031900	1	
147	76031910	1	BOX FOR RADIO MICROPHONE AND GRILLE
			Clarification
			REV A
			Radio box may need to be custom made diamond plate on top of the panel if space doesn't allow for the standard cast aluminum box. See photos of current apparatus.
		1	
149	76510050	2	
			Clarification ————————————————————————————————————
			I NEV A
			NOTE: intake gauge to be black with white letters. Discharge gauge to be standard white with black letters.
150	77021000	13	NOSHOK 2-1/2" DISCHARGE GAUGES
			Clarification ————————————————————————————————————
			REV A
151	80029900	,	BODY SUBFRAME, ALUM PUMPER
	83030710	1 1	,
	83088888	1	
			Clarification ————
			REV A



Component Listing

Line	Item#	Otv	Item Description/Comments
	83010050		ALUMINUM TREADPLATE ON ALUM PUMPER
	80110120 80220110		BODY PA-02 RES 30/53 LAD CHUTE PAINTED ROM ROLL-UP DOORS
130	00220110	'	
			(6) body side compt. doors to be painted
			(1) non-painted door for A1 compt.
157	80280410	1	L 3/16" ALUMINUM WALL - PER COMPARTMENT
137	00200410	'	FOR MOUNTING TOOLS
			Clarification —
			REV A
			Mount on back wall of R2 compt.
158	80288888	14	DEALER SUPPLIED - TURTLE TILE
			Clarification ————————————————————————————————————
			REV A
			Color: red
159	80231200	1	SCBA CYLINDERS 4
			Clarification
			REV A
			(2) in left fender, (2) in right fender
160	81150300	2	L
100	61130300		
			REV A
			(1) on floor in L3
			(1) on floor in A1
161	81150000	2	250# ADJUSTABLE VERTICAL SLIDE-OUT PANEL-EACH
			Clarification ————————————————————————————————————
			REV A
			Both in L2 compt. These will have SCBA brackets installed on either side.
	81165705	1	
163	81130300	6	ADJUSTABLE SHELF IN COMPT - EACH



Component Listing

Line	Item#	Otv	Item Description/Comments
LIIIC	itCili #	Qty	Clarification
			REV A (1) in L1 (2) in L3 (2) in R1 (1 short) (1) short in R3
164	82010100	1	HANDRAILS AND STEPS, ALUM PUMPER
104	02010100		
			Clarification (6) folding steps on front of body Rear of body: (2) 14x11 fixed steps (bottom pair) (2) 14x8 fixed step (on left side)
	82510000		RUB RAILS
166	81410000	1	COVER, VINYL, MAIN HOSE BED
			Clarification ————————————————————————————————————
		,	*REV A* Red with shock cords all the way around (including front of hosebed).
167	81310000	1	HOSEBED W/REMOVABLE ALUMINUM FLOORING
			Clarification Required capacity (left to right): 200' of 1-3/4" (double stack) 1500' of 5" 500' of 3" 200" of 1-3/4" (double stack)
	81330310		HOSE BED DIVIDER, ADJUSTABLE - EACH
	46090000	1	
1/0	90010020	1	PAINT SCHEME
			REV C Body paint: Pierce Red #100 (#C2993X) Frame rails to be painted black.
171	90083300	1	UNDERCOATING ZIEBART, ALUM PUMPERS



Component Listing

Line	Item#	Qty	Item Description/Comments
172	90030005	1	TWO TONE CAB TO BOTTOM OF WINDSHIELD
			Clarification ————————————————————————————————————
			REV C
			Cab paint:
			White #D8612X
			over Pierce Red #100 (#C2993X)
173	90510100	1	DELETE STANDARD LETTERING
			Clarification
			REV A
474	00000000		SUTPHEN FLAMING "S" DECAL ON A1 DOOR
1/4	90688888	1	Clarification ————————————————————————————————————
			REV A
			Floreing Cutebon "C" decal with Chiefd harder on year A1 dear in costability
			Flaming Sutphen "S" decal with Shield border on rear A1 door in scotchlite.
175	90688888	1	CLEAR VINYL PROTECT, CAB DOOR OPENINGS
			Clarification ————————————————————————————————————
			REV A
			Install clear vinyl 3M protec at each cab door opening (rear vertical edge of door jam). Protec to wrap
			around edges of cab approx. 1".
			See sketch for details.
176	90610100	1	DELETE STANDARD SCOTCHLITE STRIPING
			Clarification ————————————————————————————————————
			REV A
	00044400		
1//	90641100	1	
			REV A
178	89011500	1	ALCO-LITE PEL-24 24'2 SEC & PRL-14 14' ROOF
170	89510200	1	& 10' FOLDING LADDER CHUTE, RESCUE PUMPERS
1/9	09010200	ı	LADDEN ON O LE, NEGOUE FOWER ENG



Component Listing

Line	Item#	Qty	Item Description/Comments
			NOTE: ladder chute to be elevated due to rear suction Ladder chute to hold (1) 24' 2-section, (1) 14' roof, (1) 10' folding, (3) pike poles, and backboard.
100	00510200	1	L DELETE 6" SUCTION HOSE BRACKETS AND STRAINER
	88519300 91531000	1	EXTINGUISHER W/MTG 2 1/2 GALLON PRESSURIZED
	01001000	•	WATER
			Clarification —————
			REV A
			Mount inside cab on driver's side near door. Reference photos of current apparatus mounting.
182	91534000	1	EXTINGUISHER W/MTG 20LBS DRY CHEMICAL ABC
			Clarification ————————————————————————————————————
			REV A
			Mount inside cab on officer's side near door. Reference photos of current apparatus mounting.
183	91588888	1	DEALER SUPPLIED - EQUIPMENT MOUNTING
			Clarification ————
			REV C
			The following items shall be mounted per the customer's photos:
			(2) Elkhart hydrant/spanner wrench sets (LOCATIONS???) (2) Harrington HSMB-50 brackets (LOCATIONS??) (1) South Park QL48Z quick-lock mounting bracket (LOCATION??) (1) 36" axe w/South Park mounting brackets (inside back wall of cab) (1) Rubber mallet (LOCATIONS??) (2) Extinguishers (1 each side on back interior wall of cab)
			ALL OTHER LOOSE EQUIPMENT WILL BE SHIPPED LOOSE (NOT MOUNTED).
184	91088888	8	SCBA BRACKETS, MOUNTED
			Clarification ————————————————————————————————————
			REV A
			(8) Zico SCBA brackets to fit Scott 4500PSI 45 min. composite bottles.
			ZICO #???????
			Mount (2) each side of each slide-out toolboard in L2 compartment.



Component Listing

Line	Item#	Qty	Item Description/Comments
185	91010000	1	MISCELLANEOUS EQUIPMENT - (1) PINT TOUCH-UP PAINT, STAINLESS STEEL NUTS & BOLTS
	91030700	1	ZIAMATIC SAC-44 FOLDING WHEEL CHOCK MOUNTED W/ SQCH-44H HOLDERS, PER PAIR.
	99010000	1	TWO (2) MANUALS PROVIDED AT DELIVERY
	99510000	1	ONE YEAR WARRANTY
189	99588888	1	DEALER PROVIDED DELIVERY
			Clarification
			REV A
190	99588888	1	DEALER SUPPLIED - LOOSE EQUIPMENT
			Clarification ————————————————————————————————————
			REV C
			(1) Action Model #AA-136 double female adapter (2.5"x2.5") (1) Action Model #AA-136 double male adapter (2.5"x2.5") (1) South Park model# QL48Z, Quick-Loc mounting bracket (2.5") (2) Elkhart model #470 hydrant and spanner sets (1) Harrington AWG model #HSFS50-30NHLH 5"storz x 3"NH Female Swivel adapter (1) Harrington AWG model #HSFR50-25NH 5" storz x 2-1/2" Rigid Female adapter (2) Harrington AWG model #HSMB-50 5" Storz mounting Brackets (1) Harrington AWG model #HSSW-401 wrench set (3) TFT model HD-VPGI with pistol grip (1) TFT model #H-2VPP playpipe (3) TFT model #AJ3ST-NX Detent Elbows (8) 50' sections of Ponn Conquest 1.75" Hose - (4 yellow sections, 4 red sections) (10) 50' sections of Ponn Conquest 3" Hose - (white with 2-1/2" couplings) (15) 100' sections of Snap-Tite Dura Light HFX supply hose (color: yellow) (1) Nupla #13-060, RM2 rubber mallet w/mounting bracket (1)Nupla #130-060, #AP-6 Classic 36" Axe (with (1) South Park model #ZAH510C & (1) South Park model #ZSMA5201C) (1) Rubber tip protector for pick head axe (2) Fold-a-tank model #SC12X14 Salvage Covers (1) FHU APH 4' w/D-handle (1) FHU NY Roof Hook, 4' w/D-handle